

Infrared Variation of Radio Selected BL Lacertae Objects

J.H. Fan

CCAST (World Laboratory), P.O. Box 8730, Beijing 100080, China

and

Center for Astrophysics, Guangzhou Normal University, Guangzhou 510400, China, e-mail:

jhf@guangztc.edu.cn

and

R.G. Lin

Center for Astrophysics, Guangzhou Normal University, Guangzhou 510400, China

Received _____; accepted _____

ABSTRACT

In this paper, the historical infrared (JHK) data compiled from the published literature are presented in electronic form for 40 radio selected BL Lacertae objects (RBLs) for the first time. Largest variations are found and compared with the largest optical variation. Relations between color index and magnitude and between color-color indices are discussed individually. For the color-magnitude relation, some objects (0048-097, 0735+178, 0851+202, 1215+303, 1219+285, 1749+096, and perhaps 0219+428, 0537-441, 1514-241) show that color index increases with magnitude indicating that the spectrum flattens when the source brightens while some other objects (0754+100, 1147+245, 1418+546, and 1727+502) perhaps show an opposite behaviour, while remaining objects do not show any clear tendency; For color-color relation, it is found common that (J-K) is closely correlated with (J-H) while (J-H) is not correlated with (H-K).

Subject headings: Variability–Infrared–BL Lacertae Objects

1. Introduction

While the nature of active galactic nuclei (AGNs) is still an open problem, the study of AGNs variability can yield valuable information about their nature. Photometric observations of AGNs are important to construct light curves and to study variability behavior over different time scales. In AGNs, some long-term optical variations have been observed and in some cases claimed to be periodic (see Fan et al. 1998a).

Before γ -ray observations were available, Impey & Neugebauer (1988) found that the infrared emission (1-100 μm) dominates the bolometric luminosities of blazars. The infrared emissions are also an important component for the luminosity even when the γ -ray emissions are included (von Montigny 1995). Study of the infrared will provide much information of the emission mechanism. The long-term optical variations have been discussed in the papers: Webb et al. (1988); Pica et al. (1988); Bozayan et al. (1990); Stickel et al. (1993); Takalo (1994); Heidt & Wagner (1996) and references therein. The long-term infrared variations have been presented for some selected blazars in a paper by Litchfield et al. (1994).

BL Lacertae objects are an extreme subclass of AGNs showing rapid and large amplitude variability, high and variable polarization, no or weak emission line features ($EW < 5\text{\AA}$). From surveys, BL Lacertae objects can be divided into radio selected BL Lac objects (RBLs) and X-ray selected BL Lac objects (XBLs); From the differences in their overall spectral energy distributions as represented by their location in the α_{ro} versus α_{ox} , they can be divided into quasar-like BL Lacertae objects (Q-BLs) and X-ray strong BL Lacertae objects (X-BLs) (Giommi et al. 1990); From the difference in the peak frequency of the spectral energy distribution (SED), they can be divided into high frequency peaked BL Lac objects (HBLs) and low frequency peaked BL Lac objects (LBLs) (Padovani & Giommi 1995; Urry & Padovani 1995). In the last catalogue of active galaxies, Veron &

Veron (1998) list 357 BL Lac objects and BL Lac object candidates.

There are some obvious differences between RBLs and XBLs (see Fan 1998 in preparation, for a brief review). Some authors claim that they are the same type of objects with XBLs having wider viewing angle than RBLs (Ghisellini & Maraschi, 1989; Georganopoulos & Marscher 1996; Fan et al. 1997); Other claim that there is a continuous spectral sequence from XBLs to RBLs (Sambruna et al. 1996) while some claim that they are different classes (Lin et al. 1997).

Infrared observations have been done for BL Lac objects for more than 20 years. Observations in the infrared were obtained originally on BL Lacertae by Oke et al. (1969). Strittmatter et al. (1972) observed the continuity of spectral-flux distribution from the optical to infrared wavelengths. Afterwards, some other authors also did similar observations (see Stein 1978 for summary). Using the 1.26-m infrared telescope at Xing Long station, Beijing observatory, we obtained some infrared observations of a few BL Lac objects (Xie et al. 1994; Fan et al. 1998b). But long-term infrared variations are not available in the literature. In this paper, we mainly present the long-term infrared (J,H, and K bands) light curves for some RBLs and discuss their variability properties. The paper has been arranged as follows: In section 2, we review the literature data and light curves; in section 3, we discuss the variations and give some remarks for each object, and a short summary.

2. Near-infrared Light Curves

2.1. Data from Literature

Infrared observations are available since the end of the 1960s. We compiled the data from 58 publications. They are listed in table 1 & 2, which gives the observers in Col. 1.

and the telescope(s) used in Col.2. For the J, H, and K magnitudes, they are listed in an table 4 in electronic form. In table 4, Col. 1 gives the name; Col. 2. the JD time; Col. 3, the J magnitude; Col. 4 the uncertainty for J; Col. 5, the H magnitude; Col. 6, the uncertainty for H; Col. 7, K magnitude; Col. 8, the uncertainty for K.

2.2. Data Analysis

The flux densities from the literature had been converted back to magnitudes using the original formulae. In the literature, different telescopes are used, different telescopes use photometers with slightly different filter profiles, resulting in slightly different calibration standards and zero-points, but the uncertainty aroused by the different systems is no more than a few percent.

The magnitude is dereddened using $A(\lambda) = A_V(0.11\lambda^{-1} + 0.65\lambda^{-3} - 0.35\lambda^{-4})$ for $\lambda > 1\mu m$ and $A_V = 0.165(1.192 - \tan b) \csc b$ for $|b| \leq 50^\circ$ and $A_V = 0.0$ for $|b| > 50^\circ$ (Cruz-Gonzalez & Huchra 1984, hereafter CH (84); Sandage 1972; Fan et al. 1998c). It is clear that some RBLs have many observations while others have only a few data points, in Figures 2-22, we show only those with more observations.

For data shown in Figs. d - i of each object we have performed linear fit with uncertainties in both coordinates considered (see Press et al. 1992 for detail),

$$y(x) = a + bx \tag{1}$$

In principle, a and b can be determined by minimizing the χ^2 merit function (i.e. equation 15.3.2 in Press et al. book)

$$\chi^2(a, b) = \sum_{i=1}^n (y_i - a - bx_i)^2 w_i \tag{2}$$

where $\frac{1}{w_i} = \sigma_{y_i}^2 + b^2 \sigma_{x_i}^2$, σ_{y_i} and σ_{x_i} are the x and y standard deviations for the i th point

Unfortunately, the occurrence of b in the denominator of the above χ^2 merit function,

resulting in equation $\frac{\partial \chi^2}{\partial b} = 0$ being nonlinear makes the fit very complex, although we can get a formula for a from $\frac{\partial \chi^2}{\partial a} = 0$:

$$a = \frac{\sum_i w_i (y_i - bx_i)}{\sum_i w_i} \quad (3)$$

Minimizing the χ^2 merit function, equation (2), with respect to b and using the equation (3) for a at each stage to ensure that the minimum with respect to b is also minimized with respect to a , we can obtain a and b . As Press et al. stated, the linear correlation coefficient r then can be obtained by weighting the relation (14.5.1) terms of Press et al. (1992). Finding the uncertainties, σ_a and σ_b , in a and b is more complicated (see Press et al. 1992). Here, we have not performed this. For the data whose uncertainties were not given in the original literature are not included in our linear fit or in Fig. d-i, but they are included in the light curves (Fig. a - c).

As discussed in the paper of Massaro & Trevese (1996), there is a statistical bias in the spectral index-flux density correlation. Following their suggestion, we considered the relation between magnitude in one band and the color index obtained from two other bands to avoid this bias. The relations are shown in Fig. d-f.

3. Discussion

3.1. Variations

BL Lac objects are variable at all wavelengths. For the RBLs with more infrared data, we presented their variability properties in Table 3, which gives the name in Col. 1, redshift in Col. 2, Reddening correction, A_V , in Col. 3, largest optical polarization (P_{opt}) in Col. 4, largest amplitude optical variation (m_{opt}) in Col. 5, largest amplitude variations in J, H, and K in Col. 6, 7, and 8, the averaged color index (J-H) and (H-K) in Col. 9, and

10, the uncertainty in Col. 9 and 10 is the one sigma deviation. The infrared variations are very large for some objects. The color indices are also variable and associated with the magnitude for some objects, indicating that the spectrum flattens when the source brightens while some objects show different behaviours. For variation, it is reasonable for larger variation to correspond to shorter wavelength, but this paper shows that some objects do show a different behaviour. The objects showing large optical variation also show large infrared variations and high polarizations. Large variation and high polarization are associated. For the color-indices, it is common that there is a correlation for (J-K) and (J-H) while there is almost no correlation for (J-H) and (H-K) although some objects show different properties. But, when the averaged color indices are taken into account, there are mutual correlations between any two color indices of (J-H), (J-K) and (H-K) with the correlation between (J-H) and (H-K) being not so close as compared with other two correlations. $(J-K) = 2.26(J-H) - 0.28$ with correlation coefficient $r = 0.90$ and the probability of chance correlation $p = 6.3 \times 10^{-11}$, $(H-K) = 1.44(J-H) - 0.41$ with $r = 0.80$ and $p = 4.4 \times 10^{-7}$, and $(J-K) = 1.62(H-K) + 0.33$ with $r = 0.93$ and $p = 6.1 \times 10^{-13}$. The (J-H) and (H-K) relation is shown in Fig. 1. In the next section, individual objects are discussed.

3.2. Remarks

3.2.1. *PKS 0048-097, OB – 081, MC3, PHL856*

There is no redshift available for this polarized ($P_{3.7cm} = 9.3\%$, Wardle 1978; $P_{opt} = 1\%-27\%$, CH(84); Brindle et al. 1986) object. Very faint infrared fluxes have been observed by Gear (1993), which leads the object to have the largest infrared variation among the objects discussed in the present paper. The infrared variations are $\Delta J = 6.55$, $\Delta H = 6.23$, and $\Delta K = 6.07$ while that in the optical band is 2.7 mag (Angel & Stockman

1980). We can expect that the optical monitoring should get a similar amplitude. For color-color indices, there are correlations for (J-K) and (J-H) and for (J-K) and (H-K): $(J-K) = 1.20(J-H) + 0.61$ with $r = 0.69$ and $p = 5. \times 10^{-4}$, $(J-K) = 4.7(H-K) - 2.13$ with $r = 0.64$ and $p = 2. \times 10^{-3}$, but no correlation was found for (J-H) and (H-K). For the color indices and the magnitudes, there are correlation indications of (H-K) increasing with J ($p \sim 1\%$) and (J-K) with H ($p \sim 0.3\%$) (see Fig 2d, 2e).

3.2.2. *PKS 0118-272*

An absorption feature at $z = 0.559$ was found by Falomo (1991). It was observed in the infrared during the period JD 244000+ 4773-7753. For this object, there are no correlations for color-color indices or for color index and magnitude. It is a highly polarized object ($P_{opt} \sim 17\%$) and shows $dP/d\nu > 0$ (Mead et al. 1990).

3.2.3. *PKS 0138-097*

It was observed by Falomo et al (1993) at the visual and $2.2\mu m$ wavelengths, the spectral flux distribution is well described by a single power law of $\alpha = 1.0$ ($f_\nu \sim \nu^{-\alpha}$). It shows variable and high optical polarization ($P = 6\% - 29.25\%$)(Mead et al. 1990). The variation in the infrared is almost the same as that in the optical band ($\Delta m = 1.52$ on a time scale of one week, Bozayan et al. 1990). There is a correlation for (J-K) and (J-H) but not for other colors.

3.2.4. 0219+428, 3C66A

A redshift of 0.444 has been derived from a possible MgII λ 2800 feature (Miller et al. 1978). A rapid decline of 1.2 mag in 6 days was observed by Takalo et al. (1992). Different properties for the color and brightness are found in this source: Takalo et al. (1992) found that although the spectral index is considerably flat when the source was at its observed maximum state, the (J-H) and (H-K) against K color-magnitude diagrams are essentially scattered; Massaro et al. (1995) found that there is a positive correlation between the infrared spectral index and the brightness at more than the 98 % level while De Diego et al. (1997) found a different behaviour. From the long-term data compiled in the present paper no clear correlation has been found for color index and magnitude except that there is a tendency for (H-K) to increase with J (Fig. 3e). There are close correlations for (J-K) and (J-H) (Fig. 3h) and for (J-K) and (H-K) (Fig. 3i) but not for (J-H) and (H-K): $(J-K) = 1.38(J-H) + 0.33$ with $r = 0.76$ and $p = 10^{-7}$, $(J-K) = 1.60(H-K) + 0.18$ with $r = 0.45$ and $p = 5.0 \times 10^{-3}$. It shows two lower states in the light curves (Fig. 3 a,b,c). Its largest variation of 2.0 mag (Miller & McGimsey 1978) obtained in the optical band is similar to those found in the infrared band (1.67mag in the K for instance). Polarizations of $P_{opt} = 6\%-18\%$ and $P_{Rad.} = 5\%$ are reported in the papers of (CH(84)) and Takalo (1991).

3.2.5. AO 0235+164

Absorption redshifts of $z_{abs} = 0.524$ and 0.852 were found by Burbidge et al. (1976) and an emission line redshift of $z_{em} = 0.94$ was found by Nilsson et al. (1996). It is one of the most extensively studied objects in the infrared (Impey et al. 1982; Gear et al. 1986a; Takalo et al. 1992), variations of $\Delta J = 1.9$, $\Delta H = 1.8$, and $\Delta K = 1.9$ are found by Takalo et al. (1992). The spectral index is found to be correlated with J flux at a significance level of more than 90% by Brown et al. (1989). It is the most highly polarized

($P(V) = 44\%$, $P_{IR} = 36.4\%$) and the reddest ($\alpha = 4.61$) object (Impey et al. 1982; Stickel et al. 1993). The infrared light curves show three clear outbursts, and variations as large as the optical ones ($\Delta m = 5.3$ mag, Stickel et al. 1993). There are positive correlations between color indices against magnitude when it is brighter than $J = 14.$, $H = 12.5$ and $K = 12.0$ magnitudes, but the correlation is complex in fainter states. There are correlations for (J-K) and (J-H) and (H-K): $(J-K) = 1.30(J-H) + 0.64$ with $r = 0.56$ and $p = 3 \times 10^{-5}$, $(J-K) = 1.42(H-K) + 0.56$ with $r = 0.53$ and $p = 9 \times 10^{-5}$. (see Fig. 4)

3.2.6. 0300+471, 4C47.08

This object has been observed in the infrared only once (Puschell & Stein 1980) with $H = 13.44$ and $K = 12.46$, which gives a color index of $(H-K) = 0.98 \pm 0.07$. Its flux distribution from $0.36\mu m$ to $2.3\mu m$ can be expressed by a power law with $\alpha = 1.0$ ($f_\nu \propto \nu^{-\alpha}$). It is 11.5% polarized at 3.7cm (Wardle 1978) and $24 \pm 5\%$ polarized at $0.44\mu m$ (Puschell & Stein 1980).

3.2.7. 0306+103

This variable ($\Delta m = 2.2$ mag, Leacock et al 1976) object has been observed in K for only two times ($K = 11.82$ and 11.92 mag).

3.2.8. PKS 0537-441

Large variation of $\Delta m = 5.4$ mag (Stickel et al. 1993) in the optical and a variation of $\Delta H = 2.0$ mag (CH(84)) are found in this highly polarized ($P_{opt} = 18.7\%$, Impey & Tapia 1988) object. From our compiled data, a large variation of 3 mag in J and weak correlations

between (J-K) and (J-H) and (H-K) are found: $(J-K) = 1.92(J-H) + 0.04$ with $r = 0.54$ and $p = 2.7\%$, $(J-K) = 1.42(H-K) + 0.47$ with $r = 0.547$ and $p = 2.7\%$. Figs. 5d,e show that there is a tendency for the color index to increase with the magnitude.

3.2.9. *PKS 0735+178, VRO17.07.02, OI158*

It has been observed in the optical band for about 90 years (Fan et al. 1997) and in the infrared for about 20 years (Lin & Fan 1998). The largest optical variation of $\Delta m = 4.6$ (Fan et al. 1997) is greater than that in the infrared (Lin & Fan 1998). Rapid variability of 0.4 mag in about 15 minutes and a positive correlation between infrared spectral index and brightness are found (Massaro et al. 1995; Brown et al. 1989). It shows correlations between H and (J-K) and between K and (J-H) for long-term data: $(J-K) = 0.12H + 0.17$ with $r = 0.447$ and $p \sim 5.3 \times 10^{-5}$; $(J-H) = 0.04K + 0.32$ $r = 0.30$ and $p \sim 7.8 \times 10^{-3}$) (Fig. 6d and 6e, see also Lin & Fan 1998). (J-K) is found to be correlated with both (J-H) and (H-K) (see Lin & Fan 1998). It is highly polarized in the radio ($P_{3.7cm} = 4.7\%$, Wardle 1978), in the infrared ($P_{IR} = 32.6\%$, Impey et al. 1984) and in the optical ($P_{opt} = 35\%$, see Lin & Fan 1998) bands.

3.2.10. *PKS 0754+100, OI 090.4*

PKS 0754+100 is observed to show rapid variability in the infrared ($P_{IR} = 4\% - 19\%$) and in the visual ($P_{opt.} = 4 - 26\%$) polarizations, a variation of 6% over 4 hours in optical polarization was observed by Impey et al. (1982, 1984). The polarization is independent of wavelength between the visual and the $2.2\mu m$ regions (Craine et al. 1978). An optical variation of 2.0 magnitude was found from the examination of the plate archives by Baumert (1980) and a variation of 1 mag in the infrared was reported (CH84). It is the

only object in Massaro et al (1995) sample which, despite a recorded variability of about 1 mag, does not show statistically significant changes of the spectral index. 0754+100 shows a decreasing brightness since the first infrared observation although there are some brightness fluctuations in the light curves. It is interesting that the variation in H is greater than those in J and K with variability ranges of $J = 12.31$ to 14.08 , $H = 11.21$ to 13.27 and $K = 10.55$ to 12.43 . Besides, although an anti-correlation between H and (J-K) appears in Fig. 7d, it is far from any firm conclusion. (J-K) is correlated with both (J-H) and (H-K): $(J-K) = 1.3(J-H) + 0.54$ with $r = 0.78$ and $p = 2.4 \times 10^{-8}$, $(J-K) = 2.16(H-K) - 0.15$ with $r = 0.61$ and $p = 8.9 \times 10^{-5}$.

3.2.11. *S4 0814+42, OJ425*

This object is observed to show variations of 1.62, 1.63, and 1.52 mags in J, H, and K respectively (Gear 1993). Mean color indices of $(J-H) = 0.96 \pm 0.05$, $(J-K) = 1.90 \pm 0.04$, and $(H-K) = 0.95 \pm 0.07$ can be obtained from those observations. Polarizations of $P_{opt} = 12\%$ (Impey et al. 1991) and $P_{3.7cm} = 9.8$ (Wardle 1978) are reported.

3.2.12. *PKS 0818-128, OJ-131*

It shows optical variation from 14.6 to 17.5 magnitude. The linear polarization is high and variable with $P_{opt} = 8\%-36\%$ (Craine et al. 1978) and $P_{IR} = 9\% - 14\%$ (Impey et al. 1984). The infrared variation of 2.0 mag is a little smaller than in the optical band ($\Delta m = 2.9$, Craine et al. 1978). There are indications of correlations between (J-K) and (J-H) and (H-K), but no definite conclusion can be drawn from the few points with large error bars. The correlation between the color index and magnitude is also complex as shown in Fig 8.

3.2.13. PKS 0820+22, 4C22.21, MG0823 + 2222

This RBL was observed twice and does not show any clear variation in the infrared: $J = 17.63 \pm 0.16$ - 17.76 ± 0.07 , $H = 16.54 \pm 0.07$, and $K = 15.59 \pm 0.04$ - 15.75 ± 0.14 (Gear 1993). Averaged color indices of $(J-H) = 1.22 \pm 0.10$, $(J-K) = 2.02 \pm 0.17$, and $(H-K) = 0.95 \pm 0.08$ can be obtained. It is at a redshift of 0.951 (Stickel et al. 1991) and $P_{opt} = 5.2\%$ polarized in optical band (Kuhr & Schmidt 1990).

3.2.14. PKS 0823+03, OJ038, MG0825 + 0309

This highly polarized ($P_{opt} = 22.9\%$, Impey & Tapia 1988) object shows a variation of about 0.8 mag in the infrared: $J = 13.73$ - 14.49 , $H = 12.98$ - 13.79 , and $K = 12.39$ - 13.24 (Gear 1993). Mean color indices are $(J-H) = 0.72 \pm 0.04$, $(J-K) = 1.29 \pm 0.07$ and $(H-K) = 0.57 \pm 0.03$. Its redshift is 0.506 (Stickel et al. 1991).

3.2.15. S4 0828+493, OJ448, BP077

An infrared variation of about 0.5 mag ($J = 15.81$ - 16.39 , $H = 14.80$ - 15.44 , $K = 14.00$ - 14.53) is observed (Gear 1993) from this polarized ($P_{opt} = 7.9\%$, Kuhr & Schmidt 1990) object. Mean color indices are $(J-H) = 0.98 \pm 0.04$, $(J-K) = 1.79 \pm 0.04$, and $(H-K) = 0.81 \pm 0.14$. The recorded optical variation is $\Delta R = 2.0$ mag (Bozyan et al. 1990).

3.2.16. PKS 0829+046, OJ049

It is also an extremely variable object ($\Delta m = 5.0$ Angel & Stockman 1980). Polarizations of $P_{3.7cm} = 4.8\%$ (Wardle 1978) and $P_{opt} = 12\%$ (CH(84)) are reported. It is hard to draw any conclusion for the relation between color index and magnitude. It

shows a correlation between (J-K) and (J-H): $(J-K) = 1.32(J-H) + 0.48$ with $r = 0.76$ and $p = 4.3 \times 10^{-5}$. Between (J-K) and (H-K), a close correlation with $r = 0.68$ and $p = 5.4 \times 10^{-4}$ can be obtained once the outlying point is excluded (see Fig. 9).

3.2.17. *PKS 0851+202, VRO20.08.01, OJ287*

OJ287 is one of the very few AGNs for which continuous light curve over more than one hundred years has been observed. A redshift of $z = 0.306$ is derived from [OIII] λ 5007 by Miller et al. (1978) and confirmed by Sitko & Junkkarinen (1985). Its observed properties from the radio to the X-ray have been reviewed by Takalo (1994). OJ287 shows a 12-year period in the optical (Sillanpaa et al. 1988; Kidger et al. 1992) and in the infrared (Fan et al. 1998b). It is highly polarized in the radio ($P_{3.7cm} = 16.6\%$, Wardle 1978), infrared ($P_{IR} = 14.3\%$, Impey et al. 1982) and optical ($P_{opt} = 37.2\%$, Smith et al. 1987) bands. Its optical variation of 6.0 mag (Fan et al. 1998b) is larger than the infrared variation. There is a tendency for the color index to increase with magnitude. (J-K) is correlated with both (J-H) and (H-K): $(J-K) = 1.62(J-H) + 0.35$ with $r = 0.76$, $(J-K) = 1.54(H-K) + 0.35$ with $r_s = 0.65$ (see Fig. 10 and Fan et al. 1998b).

3.2.18. *B2 1101+384, Mkn421, OM303*

This object is found to have nebulosity with a redshift of 0.0308 by Ulrich et al. (1975). A large optical variation of 4.6 mag was observed (Stein et al. 1976). The observed optical, infrared and radio polarizations are, respectively, 0%-7.9% (Rieke et al. 1977), 2%-4% (CH(84)) and 3.7% (Wardle 1978). (J-K) is correlated with (J-H): $(J-K) = 0.72(J-H) + 0.69$ with $r = 0.68$ and $p = 6.1 \times 10^{-4}$. (H-K) shows an anti-correlation with (J-H), $(H-K) = -0.68(J-H) + 0.94$ ($p = 6.0 \times 10^{-3}$). For (J-K) and (H-K), it is hard to draw a definite

conclusion as shown in Fig.11i. No definite color index-magnitude relation can be obtained. The infrared variation found here is much smaller than the optical band one.

3.2.19. *PKS 1144-379*

It is a high-redshift object with $z = 1.048$ (Stickel et al. 1989). An optical variation of 1.92 mag (Bozayan et al. 1990) and an optical polarization of $P_{opt} = 8.5\%$ (Impey & Tapia 1988) are reported. The infrared variation is larger at lower frequency and is greater than in the optical.

3.2.20. *B2 1147+245, OM280, MG1150 + 2417*

No redshift is published for this source. Similar infrared ($P_{IR} = 14.8\%$) and optical ($P_{opt} = 1.5\% - 13\%$) polarizations (Impey et al. 1982), and an optical variation of 0.77mag (Pica et al. 1988) are reported. The variation in H is found greater than those in J and K. Fig. 12f shows that the spectrum flattens when the source dims, a similar result was also found by Lorenzetti et al. (1989). (J-K) is associated with (J-H): $(J-K) = 1.2 (J-H) + 0.67$ with $r = 0.90$ and $p = 1 \times 10^{-6}$ (see Fig. 12).

3.2.21. *B2 1215+303, ON325*

For this polarized ($P_{3.7cm} = 6.3\%$ and $P_{opt} = 14\%$, Wardle 1978) object, we found (J-H) to be correlated with K: $(J-H) = 0.24K - 2.13$ with $r = 0.59$ and $p = 7.2 \times 10^{-3}$. The infrared variation found here is smaller than that in the optical band ($\Delta m = 3.3$ mag, Zekl et al. 1981). (J-K) is correlated with (J-H) and (H-K): $(J-K) = 1.06(J-H) + 0.60$ with $r = 0.69$ and $p = 1.2 \times 10^{-3}$, $(J-K) = 1.68(H-K) + 0.27$ with $r = 0.42$ and $p = 5.3\%$. (see Fig.

13)

3.2.22. B2 1219+285, WCom, ON231, VR28.12.02, GC

This extremely variable object ($\Delta V = 5$ mag) was observed to be polarized at $P_{3.7cm} = 5.8\%$ (Wardle 1978) and $P_{opt} = 2\% - 10\%$ (CH(84)). A correlation between H and (J-K) was found: $(J-K) = 0.28H - 2.01$ with $r = 0.62$ and $p \sim 1\%$. A correlation is also found between (J-K) and (J-H): $(J-K) = 1.04(J-H) + 0.72$ with $r = 0.61$ and $p = 1.1\%$ (see Fig. 14h). For (J-K) and (H-K), there is a close relation if the two outlying points are excluded. In table 3, we can see that the variation in J is smaller than those in H and K. The reason is that there are only H and K data for the faint state (Glass 1981). The variations in J and H are the same, and greater than in K if we do not consider the low state points.

3.2.23. B2 1308+326, OP313, GC

An emission line redshift of 0.996 comes from the identification of a fairly strong, broad emission feature at $5586\text{\AA}$ as $\text{MgII}\lambda 2800$, while the absorption redshift of 0.879 is from a weak doublet at $\lambda 5252.4\text{\AA}$ and $5264.4\text{\AA}$ (Miller et al. 1978). B2 1308+326 shows high and variable polarization indicating variability of $\Delta P = 10\%$ on a time scale of 24 hours (Impey et al. 1984) and a decreasing of 12% in two days (Moore et al. 1980). The recorded maximum polarizations of $P_{IR} = 19.6\%$ and $P_{opt} = (28 \pm 5)\%$ at $0.44\mu m$ was also observed by Puschell et al. (1979). An optical variation of $\Delta m = 5.6$ mag has been observed (Angel & Stockman, 1980). When the infrared emission increases the spectral index does not change (Sitko et al. 1983), but an indication of a positive correlation between the infrared spectral index and brightness is found by Brown et al. (1989). The 1977/1978 optical

outbursts show a double peak structure separated by 1 year. Following the 1978 peak, Puschell et al (1979) found that the infrared fluxes did not decrease with time as rapidly as the visual fluxes and proposed that the more rapid decline of visual compared with infrared light is a general characteristic of these events. From the light curve, we can see that the brightness decreases with time with some flux fluctuations showing up. No definite relation can be obtained for the spectral index and magnitude for the long-term data, but there is a correlation between (J-K) and (J-H): $(J-K) = 1.50(J-H) + 0.48$ with $r = 0.596$ and $p = 1.8 \times 10^{-3}$ (see Fig. 15).

3.2.24. *MC 1400+162, 4C16.39, OO100*

This variable object ($\Delta m = 2.8$, Zekl et al. 1981) is found in a cluster of galaxies (Miller 1978b) with a redshift of $z_{em} \sim 0.245$ from the [OII], H_β , [OIII], [OII] (Miller et al. 1978) and show a variable polarization ($P_{opt} = 4.4\% - 14\%$, Angel & Stockman 1980; Impey et al. 1984). The infrared observations show a 0.54 mag variation in K and $(H-K) = 0.89 \pm 0.11$.

3.2.25. *B2 1418+546, OQ530*

1418+546 shows a large optical variation of 4.8 magnitude ranging from 11.3 to 16.1 magnitude in Miller's (1978) study; its optical polarization from 5% to 24% (Marchenko 1980) is greater than the infrared polarization of $P_{IR} = 19\%$ (Impey et al. 1984). In the infrared, some properties have been shown in the papers of O'Dell et al. (1978) and Puschell & Stein (1980). No correlation was found between spectral index and brightness, but the flux variations are found larger at lower frequency by Massaro et al. (1995) and Takalo et al (1992). For the spectral shape and the brightness of the source, the long-term data show

(see Fig. 16): $(J-K) = -0.08H + 2.65$ with $r = -0.40$ and $p = 2.6\%$, and $(J-H) = -0.08K + 1.75$ with $r = -0.41$ and $p = 2.2\%$ indicating that the spectrum steepens when the source brightens. No similar correlation has been found in the visual band (Worrall et al 1984a). The infrared light curves show two bursts separated by about 8 years and the variation at lower frequency to be greater. The infrared variations are smaller than in the optical band. The $(J-K)$ is found related with $(J-H)$ and $(H-K)$ (see Fig. 16): $(J-K) = 1.56(J-H) + 0.43$ with $r = 0.856$ and $p = 1.6 \times 10^{-8}$, $(J-K) = 1.98(H-K) + 0.03$ with $r = 0.61$ and $p = 7.0 \times 10^{-4}$.

3.2.26. *PKS 1514-241, AP Librae*

This variable ($\Delta m = 3.0\text{mag}$, Branly et al. 1996) object is located at the center of an elliptical galaxy with an emission line redshift of $z = 0.049$ (Disney et al. 1974), polarizations of $P_{3.7cm} = 4.4\%$ (Wardle 1978) and $P_{IR} = 2\% - 7.4\%$ and $P_{opt} = 7\%$ (Impey et al. 1982) are reported. The infrared data show a correlation between $(J-K)$ and $(H-K)$: $(J-K) = 0.18(H-K) + 0.84$ with $r = 0.928$ and $p = 4.5 \times 10^{-5}$. For color index and magnitude, there is an indication of $(J-K)$ increasing with H but this is far from any certain conclusion (see Fig. 17).

3.2.27. *PKS 1519-273*

This polarized ($P_{opt} = 11.4\%$, Impey & Tapia 1988) object has only been observed twice by Gear (1993) and Glass (1981). The observations indicate color indices of $(J-H) = 0.45 \pm 0.21$, $(J-K) = 1.35 \pm 0.17$, and $(H-K) = 0.90 \pm 0.24$. The optical variation is $\Delta m = 2.43$ (Fan 1997).

3.2.28. *PKS 1538+149, 4C14.60, OR165*

Polarizations of $P_{3.7cm} = 9.3\%$ (Wardle 1978) and $P_{opt} = 32.8\%$ (Brindle et al 1986) are reported. The infrared variations found here from few data points is much smaller than in the optical bands ($\Delta m = 3.7$, Stickel et al. 1993).

3.2.29. *B2 1652+398, Mkn501, 4C39.49, OS387*

B2 1652+398 was shown to have a redshift of 0.0337 by Ulrich et al. (1975). It has effective spectral indices similar to that of X-ray selected BL Lac objects but has been classified as an RBLs. The largest optical variation of 1.3 mag (Stickel et al. 1993) is smaller than in J. Its optical and infrared emissions are polarized at $P_{opt} = 2\% - 7\%$ and $P_{IR} = 3\%$ (CH(84)). During the flare the colors are found to be very much bluer than in quiescent state, reaching $(H-K) = 0.13$ and $(J-H)=0.48$ (Takalo et al. 1992), but there are almost no correlation between color index and magnitude or for color-color indices (see Fig. 18).

3.2.30. *1727+502, IZW187*

IZW 187 was observed spectroscopically by Oke (1978) to show a redshift of 0.0554. It is interesting that the optical polarization ($P_{opt} = 4\% - 6\%$) is smaller than the radio polarization ($P_{3.7cm} = 11.3\%$) (Kinman, 1976). IZW 187 shows the highest ratio of X-ray luminosity to optical luminosity, $L_{X-ray}/L_{opt.}$, among BL Lac objects observed by *Einstein* observatory (Ku et al. 1982). An optical variation of 2.1 mag was reported by Scott (1976) (see also Bozayan et al. 1990). Recently, it was found to have a massive black hole ($5.4 \times 10^8 M_{\odot}$) at its center in our previous paper (Fan 1995). Variations of $\Delta H = 0.57\text{mag}$, and $\Delta K = 0.82\text{ mag}$ are found. There is an indication of color index (J-K) decreasing with

H. No correlation for the color-color indices is really found (see Fig. 19).

3.2.31. *PKS 1749+096, OT081, 4C09.57*

This highly polarized ($P_{3.7cm} = 7.2\%$, Wardle 1978; $P_{opt} = 32\%$, Brindle et al. 1986) BL Lac object was found to show an optical variation of 2.7 mag (Stickel et al. 1993). The infrared data show an indication of a correlation between J and (H-K) with $r_S = 0.83$ and $p = 1.1 \times 10^{-3}$. (J-K) is found correlated with (J-H) and (H-K): (J-K) = $1.44(J-H) + 0.48$ with $r = 0.79$ and $p = 2.4 \times 10^{-3}$, (J-K) = $3.31 (H-K) - 1.13$ with $r = 0.75$ and $p = 5 \times 10^{-3}$ (see Fig. 20).

3.2.32. *S5 1803+78*

There are only observations of $f_J = 5.1mJy$, $f_H = 5.5mJy$, and $f_K = 6.7mJy$, which gives J = 13.68, H = 13.13, and K = 12.42 mag in the paper of Heckman et al. (1983) for this highly polarized ($P_{opt} = 35.2\%$, Kuhr & Schmidt, 1990) object.

3.2.33. *S4 1807+698, 3C371.0, 4C69.24*

The N galaxy 3C371.0 ($z_{em} = 0.0506$ Miller, 1975) is related to BL Lac object because of its optical variability ($\Delta m \sim 2.0$ mag) and polarization ($P \sim 12\%$) (Shaffer 1978; Kinman 1976; CH(84)). Miller (1975) suggests that the polarization increases significantly in the UV band if the visual polarization were diluted by starlight. Capps & Knacke (1978) reported an expected lower-than-optical infrared polarization ($P_{IR} = 5.3 \pm 1.5\%$) when the starlight diluted heavily the infrared. There are only 7-night of infrared data in the literature, giving $f_J = 13.8mJy$, $f_H = 16.0mJy$, and $f_K = 19.6mJy$ (Heckman et al. 1983),

included, which show a variation of 1 mag in K (from 10.86 to 11.88 mag).

3.2.34. *S4 1823+568, 4C56.27*

There are only 2-night of infrared data for this polarized ($P_{opt} = 16.8\%$, Impey et al. 1991) object: J = 14.87-14.92, H = 13.92, and K = 13.02-13.08 (Gear 1993), averaged color indices of (J-H) = 0.97 ± 0.03 , (J-K) = 1.85 ± 0.07 , and (H-K) = 0.87 ± 0.04 can be obtained.

3.2.35. *PKS 2005-489*

This is a moderately variable object ($\Delta m = 0.53$, Bozayan et al. 1990). The limited infrared data only show a variation of about 0.25 mag. No polarization is published.

3.2.36. *PKS 2131-021, 4C02.81*

There are only two night of infrared data showing a variation of 0.8 mag (J = 16.06-16.88, H = 15.05-15.97, K = 14.23-14.88), which is comparable with the optical variation of $\Delta m = 1.2$ mag (Stickel et al. 1993). Mean infrared color indices of (J-H) = 0.96 ± 0.07 , (J-K) = 1.91 ± 0.12 , and (H-K) = 0.96 ± 0.16 can be obtained. $P_{opt} = 16.9\%$ is reported by Kuhr & Schmidt (1990).

3.2.37. *PKS 2200+420, VRO42.22.01, BLLacertae*

The prototypical object of its class lies in a giant elliptical galaxy at a redshift of ~ 0.07 . Maximum radio polarization of $P_{3.7cm} = 6.4\%$ (Wardle 1978), infrared polarization of $P_{IR} = 15.1\%$ (Impey et al. 1984) and optical polarization of $P_{opt} = 23\%$ (Kuhr & Schmidt

1990) are obtained. It has been observed for about 27 years in the infrared (see Fan et al. 1998c) and about 100 years in the optical (Fan et al. 1998a). A 14-year period and a maximum optical variation of $\Delta B = 5.31$ are found from the B light curve (Fan et al. 1998a). The optical variation is greater than infrared variation. Correlations have been found between (J-K) and (J-H) and (H-K) but not between color index and magnitude (Fig 21, also see Fan et al. 1998c).

3.2.38. *PKS 2240-260*

There are only five-night of infrared data, showing a variation of $\Delta K = 1.7$ mag. There is an indication of a correlation between J-H and K, but it should be investigated with more observations. $P_{opt} = 15.1\%$ is reported for it (Impey & Tapia 1988).

3.2.39. *PKS 2254+074, OY091*

The highly polarized object ($P_{3.7cm} = 8.1\%$, Wardle 1978, $P_{opt} = 14\% - 21\%$, $P_{IR} = 17.2\%$, Impey et al. 1982) shows an optical variation of $\Delta m_B = 2.37$ (Bozayan et al. 1990). The infrared data show correlations between color indices (see Fig.22g-i).

3.2.40. *2335+031, 4C03.59, OZ061*

There are only one night of infrared data for this object: J = 16.68, H = 15.77, and K = 14.89, which show color indices of (J-H) = 0.91 ± 0.06 , (J-K) = 1.79 ± 0.06 , and (H-K) = 0.88 ± 0.06 . An optical variation of 0.8 mag and a radio polarization of $P_R = 6\%$ are reported (CH(84)).

3.3. Summary

In this paper, the infrared variations are presented for 40 RBLs, the light curves are shown in Fig. 2 to 22 for 22 objects with more observations. The amplitude variation in the optical and infrared bands are compared. Correlations between color-color indices and between color and magnitude are investigated: (J-K) is always found correlated with (J-H). For the color-magnitude relation, some objects (0048-097, 0735+178, 0851+202, 1215+303, 1219+285, 1749+096, and perhaps 0219+428, 0537-441, 1514-241) show a color index increasing with magnitude, indicating that the spectrum flattens when the source brightens while some other objects (0754+100, 1147+245, 1418+546, and 1727+502) perhaps show an opposite behaviour, the rest objects do not show any clear tendency between color index and magnitude.

The authors are grateful to the anonymous referee for his/her comments and to Dr. G. Adam for his critical reading. J.H. F thanks Y. Copin for his help with the figures. This work is supported by the National Pan Deng Project of China

REFERENCES

- Allen, D.A., 1976, ApJ, 207, 367
- Allen, D.A., Ward, M.J., Hyland, A.R., 1982, MNRAS, 199, 969
- Andrews, P.J. Glass, I.S., & Hawarden, T.G. 1974, MNRAS, 168, 7
- Angel, J.R.P & Stockman, H.S. 1980, ARA&A, 18, 321
- Baumert, J.H. 1980, PASP, 92, 156
- Bersanelli, M., Bouchet, P, Falomo, R., & Tanzi, E.G., 1992, AJ, 104, 28
- Bozayan, E.P., Hemenway, P.D., Argue, A.N., 1990, AJ, 99, 1421
- Branly, R., Kilgard, R., Sadun, A., Shcherbanovsky, A. Webb, J. 1996, ASP Conf. Ser. Vol. 110, P170
- Bregman, J.N., Glassgold, A.E. Huggins, D.J. et al. 1990, ApJ, 352, 574
- Bregman, J.N., Glassgold, A.E. Huggins, D.J. et al. 1984, ApJ, 276, 454
- Brindle, C., Hough, J.H., Bailey, J.A., Axon, D.J., Hyland, A.R., 1986, MNRAS, 221, 739
- Brown, L.M.J. Robson, E.I., Gear, W.K., Smith, M.G.: 1989, ApJ, 340, 150
- Burbidge, E.M., Caldwell, R.D., Smith, H.E., et al. 1976, ApJ, 205, L117
- Capps, R.W. & Knacke R.F. 1977, Ap. L. 19, 113
- Craine, E.R. Duerr, R. & Tapia, S. 1978, Pitt. BL Lac Conf. p99
- Cruz-Gonzalez, I, & Huchra, J.P. 1984, AJ, 89, 441
- De Diego, J.A., Kidger, M.R., Gonzales-Perez, J.N., Lehto, H.J. 1997, A&A 318, 331

- Disney, M.J., Peterson, B.A. & Rodgers, A.W. 1974, ApJ, 194, L79.
- Epstein, E.E, Fogarty, W.G., Hackney, H.R., et al. 1972, ApJ, 178, L51
- Falomo, R., Bouchet, P., Chiappetti, L. et al. 1988, ApJ, 335, 122
- Falomo, R. 1991, AJ, 102, 1991
- Falomo, R., Treves, A., Chiappetti, L. et al. 1993, ApJ, 402, 532
- Falomo, R., Scarpa, R., Treves, A., 1994, ApJS, 93, 125.
- Fan, J.H., Xie, G.Z., Pecontal, E. et al. 1998a, ApJ 507, 173
- Fan, J.H., Adam, G., Xie, G.Z., et al. 1998b, A&AS, 133, 163
- Fan, J.H., Xie, G.Z., Lin, R.G., Qin, Y.P., 1998c, A&AS, 133, 217
- Fan, J.H., Cheng, K.S., Zhang, L., Liu, C.H., 1997 A&A, 327, 947
- Fan, J.H., 1997, Ap.L. & Com. 35, 361
- Fan, J.H., 1995, Ap&SS, 229, 157
- Gear, W.K., 1993, MNRAS, 264, 919.
- Gear, W.K., Robson, E.I., & Brown, L.M.J. 1986b, Nat., 324, 546
- Gear, W.K., Brown, L.M.J., Robson, E.I., et al. 1986a, ApJ, 304, 295
- Gear, W.K., Robson, E.I., Brown L.M.J. et al. 1985, ApJ, 291, 511
- Ghisellini, G. & Maraschi L. 1989, ApJ, 340, 181
- Giommi, P., Barr, P., Pollock A.M.T. et al. 1990, ApJ, 356, 432
- Glass, I.S. 1981, MNRAS, 194, 795

- Georganopoulos, M. & Marscher, A.P. 1996, ASP conf. Ser. Vol 110, P262
- Heckman, T.M., Lebofsky, M.J., Rieke, G.H., van Breugel, W., 1983, ApJ, 272, 400
- Heidt, J., & Wagner, S.J. 1996, A&A, 305, 42
- Holmes, P.A., Brand, P.W.J.L., Wolstencroft, R.D., Williams, P.M., 1984b, MNRAS, 210, 961
- Holmes, P.A., Brand, P.W.J.L., Wolstencroft, R.D., et al. 1984a, MNRAS, 211, 497
- Impey, C.D., Lawrence, C.R., Tapia, S., 1991, ApJ, 375, 46.
- Impey, C.D., & Neugebauer, G., 1988 , AJ, 95, 307
- Impey, C.D., & Tapia, S. 1988, ApJ, 333, 666
- Impey, C.D., Brand, P.W.J.L. Wolstencroft, R.D., Williams, P.M., 1984 MNRAS, 209, 245
- Impey, C.D. 1983, MNRAS, 202, 397
- Impey, C.D., Brand, P.W.J.L. Wolstencroft, R.D., Williams, P.M., 1982 MNRAS, 200, 19
- Kawai, N., Matsuoka, M., Bregman, J.N., et al. 1991, ApJ, 382, 508
- Kidger, M.R., Takalo, L.O., de Diego, J.A., 1994, A&A, 282, 369
- Kidger, M.R., Takalo, L., Sillanpaa, A. 1992, A&A, 264, 32
- Kinman, T.D. 1976, ApJ, 205, 1
- Kotilainen, J.K., Ward, M.J., Boisson, C. et al. 1992, MNRAS, 256, 125
- Knacke, R.F., Capps, R.W., Johns, M., 1976, ApJ 210 L69
- Ku, W.H.-M et al. 1982, Nat. 288, 323

- Kuhr, H. & Schmidt G.D. 1990, AJ, 99, 1
- Landau, R., Golish, B., Jones, T.J., et al. 1986, ApJ, 308, 78
- Leacock, R.L., Smith, A.G., Edwards, P.L. et al. 1976, ApJ, 206, L87
- Lepine, J.R.D., Braz, M.A., Epchtein, N., 1985, A&A, 149, 351
- Lin, R.G. & Fan, J.H. 1998, Ap&SS (in press)
- Lin, Y.C., Bertsch, D.L., Dingus, B.L. et al. 1997 ApJ, 476, L11
- Litchfield, S.J., Robson, E.I., Stevens, J.A. 1994, MNRAS 270, 341
- Lorenzetti, D., Massaro, E., Perola, G.C., Spinoglio, L. 1990, A&A, 235, 35
- Lorenzetti, D., Spinoglio, L., Massaro, E., Perola, G.C., 1989, ApJS, 71, 175
- Marchenko, S.G. 1980, Sov. Astrn. Let. 6, 296
- Massaro, E. & Treves, D. 1996, A&A 312, 810
- Massaro, E., Nesci, R., Perola, G.C., Lorenzetti, D., Spinoglio, L., 1995, A&A 299, 339
- Mead, A.R.G., Ballard, K.R., Brand, P.W.J.L., Hough, J.H., Brindle, C., Bailey, J.A., 1990, A&AS, 83, 183
- Miller, J.S., French, H.B., & Hawley, S.A. 1978, Pitt. Conf. on BL Lacs. ed. A. Wolf. p176.
- Miller, J.S. 1975, ApJ, 200, L55
- Miller, H.R. 1978, ApJ, 223, L67
- Miller, J.S. 1978b, Comments Astrophys. Vol. 7, 183
- Miller, H.R. & McGimsey B.Q. 1978, ApJ, 220, 19

- Moore, R.L., Angel, J.R.P., Lebofsky, M.J., et al. 1980, ApJ, 235, 717
- Moore, R.L. Angel, J.R.P., Duerr, R. et al. 1982, ApJ, 260, 415
- Nilsson K., Charles P.A., Pursimo T. et al. 1996, A&A 314, 754
- O’Dell, S.L. Pushell, J.J., Stein, W.A. 1977, ApJ, 213, 351.
- O’Dell, S.L. Pushell, J.J., Stein, W.A., Warner, J.W., 1978a, ApJS, 38, 267
- O’Dell, S.L. Pushell, J.J., Stein, W.A., Owen, F., Porcas, R.W., Mufson, S., Moffett, T.J. & Ulrich, M.-H. 1978b, ApJ, 224, 22
- Oke, J.B., 1978, ApJ, 219, L97
- Oke, J.B., Neugebauer, G., & Becklin, E.E. 1969, ApJ, 156, L41
- Padovani, P. & Giommi, P. 1995, MNRAS 277 1477
- Pica, A.J., Andrew, J., Smith, A.G., et al. 1988, AJ, 96, 1215
- Press W.H., Teukolsky S.A., Vetterling W.T., Flannery B.P. 1992, in Numerical Recipes in C, The Art of Scientific Computing (2nd Edition), Cambridge Uni. Press.
- Puschell, J.J., Jones, T.W., Phillips, A.C. et al. 1983, ApJ, 265, 625
- Puschell, J.J. & Stein, W.A. 1980, ApJ, 237, 331
- Puschell, J.J. Stein, W.A., Jones, T.W., Warner, J.W., Owen F., Rudnick, L. Aller, H. Hodge, P. 1979, ApJ, 227, L11
- Rieke G.H., Lebofsky, M.L., Kemp, J.C., Coyne, G.V., Tapia, S., 1977, ApJ, 218, L37
- Rieke, G.H., Grasdalen, G.L., Kinman, T.D., et al. 1976, Nat. 260, 754
- Roelling T.L., Beckin, E.E., Impey, C.D., Werner, M.W., 1986, ApJ, 304, 646

- Sambruna, R.M. Maraschi, L., Urry, C.M. 1996 ApJ, 463, 444
- Sandage A., 1972, ApJ 178, 1
- Scott R.L., Leacock R.J., McGimsey B.Q. et al. 1976, AJ, 81, 7
- Shaffer, D.B. 1978, Pitt. BL Lac Conf. Ed. A. Wolf. p68.
- Sillanpaa, A., Haarala, S., Valtonen, M.J., Sundelius, B., & Byrd, G.G. 1988a, ApJ, 325, 628
- Sitko, M.L. Stein, W.A., Zhang, Y.X., Wisniewski, W.Z., 1983, PASP, 95, 724
- Sitko, M.L. & Sitko A.K. 1991, PASP, 103, 160
- Sitko, M.L. & Junkkarinen, V.A. 1985, PASP, 97, 1158
- Smith, P.S. Balonek, T., Elston, R., Heckert, P.A; 1987, ApJS, 64, 459
- Stein, W.A. 1978, in Pittsburgh Conf. on BL Lac Objects, ed. A.M. Wolfe, p1
- Stein, W.A., O'Dell, S.L. & Strittmatter, P.A. 1976, ARA&A, p173
- Stickel, M., Fried, J.W., Kuhr, H. 1993, A&AS, 98, 393
- Stickel, M., Fried, J.W., Kuehr, H., Padovani, P., Urry, C.M. . 1991, ApJ, 374, 431.
- Stickel, M., Fried, J.W. & Kuhr H. 1989, A&AS, 80, 103
- Strittmatter, P.A., Serkowski, K., Caswell, R., et al. 1972, ApJ, 175, L7
- Takalo, L.O. 1994, Vistas in Astronomy, 38, 77
- Takalo, L.O., Kidger, M.R., de Diego, J. et al. 1992, AJ, 104, 40
- Takalo, L.O. 1991, A&AS, 90, 161

- Tanzi, E.G., Falomo, R.? Bouchet, P. et al. 1989, BL Lac Objects, N334, p171
- Tanzi, E.G. 1986, ApJ, 311, L13
- Ulrich, M-H, Kinman, T.D. Lynds, C.R. Rieke, G.H. Ekers, R.D. 1975, ApJ, 198, 261
- Urry, C.M. & Padovani, P. 1995, PASP, 107, 803
- Veron-Cetty, M.P. & Veron, P. 1998, A Catalogue of Quasars and Active Nuclei (8th Edition)
- von Montigny, C., Bertsch, D.L., Chiang, J. et al. 1995, ApJ, 440, 525
- Wardle J.F.C. 1978 Pitt. Conf. on BL Lacs. ed. A. Wolf. p39.
- Webb, J.R., Smith, A.G., Leacock, R.J. Fitzgibbons, G.L., Gombola, P.P., & Sheppard, D.W., 1988, AJ, 95, 374
- Wolstencroft, R.D. Gilmore, G., Williams, P.M. 1982, MNRAS, 201, 479
- Worrall, D.M., Puschell, J.J., Beruhweiler, F.C. et al. 1984a ApJ, 284, 512
- Worrall, D.M. Rodriguez-Espinosa, J.M., Puschell, J.J. et al. 1994b, ApJ, 286, 711
- Worrall, D.M., Puschell, J.J., Beruhweiler, F.C. et al. 1994c, ApJ, 278, 521
- Worrall, D.M., Rodriguez-Espinosa, J.M., Wisniewski, W.E. et al. 1986, ApJ, 303, 589
- Xie, G.Z. Li, K.H., Zhang, Y.H., Liu, F.K., Fan, J.H., & Wang, J.C. 1994, A&AS, 106, 361
- Zekl, H., Klare, G., Appenzeller, I., 1981, A&A, 103, 342

Table 1: Literature and telescopes for the data

Observer(s)	Telescope(s)
Allen(1976)	UM/UCSD 1.5m
Allen et al (1982)	A-A 3.9m; UKIRT 3.8m
Andrews et al(1974)	SAAO 1.02m & 0.52m
Bersanelli et al (1992)	ESO 3.6m & 2.2m
Bregman et al (1984)	Mount Lemmon 1.5m
Bregman et al (1990)	UKIRT 3.8m; Hale 5m
Brindle et al (1986)	UKIRT 3.8m
Brown et al (1989, 1990)	UKIRT 3.8m
Capps & Knacke (1978)	KPNO 2.1m & 4m
Cruz-Gonzales & Huchra (1984)	CTIO 4m; KPNO 1.5m
Epstein et al (1972)	100-inch
Falomo et al (1988)	Carlos Sanchez (TCS) 1.5m
Falomo et al (1993)	ESO 2.2m
Gear (1993)	UKIRT 3.8m
Gear et al (1985,1986a,b)	UKIRT 3.8m
Glass (1981)	Sutherland 1.88m
Heckman et al(1983)	UAO 2.25m, 1.54m
Holmes et al (1984a,b)	UKIRT 3.8m
Impey et al (1982,1984)	UKIRT 3.8m
Impey (1983)	Hawaii 2.2m
Kawai et al(1991)	UKIT,UMIT
Kidger et al (1994)	TCS 1.5m
Kotilainen et al (1992)	UKIRT 4m
Knacke et al (1976)	PKBT 2.1m

Table 2: Literature and telescopes for the data

Observer(s)	Telescope(s)
Landau et al (1986)	UKIRT 3.8m; Hale 5m & Mount Lemmon 1.5m
Lepine et al(1985)	ESO 3.6m
Litchfield et al (1994)	ESO 2.2m
Lorenzetti et al(1989)	Italian 1.5m
Massaro et al (1995)	TIGRO 1.5m & ESO 1.0m
Mead et al (1990)	UKIRT 3.8m
Moore et al (1980,1982)	2.29m; 1.54m;UAO 1.5m
O’Dell et al (1977,1978a,b)	UM/UCSD 1.5m
Puschell et al (1979, 1983)	UM/UCSD 1.5m
Puschell & Stein (1980)	UM/UCSD 1.5m
Rieke et al (1976)	KPNO 4m NASA 1.54m Steward Obs. 2.25m
Rieke et al (1977)	UOA 90inch & 61 inch
Roelling et al (1986)	UKIRT 3.8m
Sitko et al (1983)	UM/UCSD 1.5m
Sitko & Sitko (1991)	KPNO 1.3m & 1.5m
Smith et al (1987)	KPNO 2.1m
Takalo et al(1992)	TCS 1.5m
Tanzi (1986)	ESO 3.6m
Tanzi et al (1989)	ESO 1.5m & 3.6m
Ulrich et al (1975)	Steward 2.25m & NASA 1.52m
Wolstencroft et al (1982)	UKIRT 3.8m
Worrall et al (1984a,1986)	MU/UCSD 1.5m
Worrall et al (1984b)	Shane 3m; MU/UCSD 1.5m
Worrall et al (1984c)	Lick Obs. 3m; Hale 5m
Xie et al (1994)	Xing Long, BAO 1.26m

Table 3: Observed Largest Variations of BL Lac Objects

Name	z	A_V	P_{opt}	Δm_{opt}	Infrared Variation	Averaged Color Index			
			(%)		ΔJ	ΔH	ΔK	J-H	I
0048-097	—	0.0	27.	2.7	6.55	6.23	6.01	0.88 ± 0.18	0.85
0118-272	0.557	0.0	17.0	—	0.56	0.57	0.67	0.83 ± 0.04	0.82
0138-097	0.50	0.0	29.3	1.52	1.69	1.57	1.56	0.84 ± 0.08	0.80
0219+428	0.444	0.51	18.0	2.0	1.57	1.58	1.61	0.76 ± 0.14	0.82
0235+164	0.940	0.10	44.0	5.3	5.0	4.87	4.93	0.96 ± 0.18	1.02
0537-441	0.896	0.19	18.7	5.4	3.00	2.75	2.43	0.87 ± 0.08	0.95
0735+178	0.424	0.46	35.0	4.6	2.47	2.30	2.40	0.86 ± 0.11	0.86
0754+100	0.66	0.40	26.0	2.0	1.77	2.05	1.88	0.82 ± 0.12	0.84
0818-128	—	0.64	36.0	2.9	2.14	2.14	2.00	0.82 ± 0.12	0.81
0829+046	0.18	0.31	12.0	5.0	2.11	2.08	2.15	0.91 ± 0.17	0.84
0851+202	0.306	0.13	37.2	6.0	3.87	3.78	3.54	0.82 ± 0.16	0.88
1101+384	0.03	0.0	7.9	4.6	1.03	0.98	2.03	0.64 ± 0.07	0.54
1144-379	1.048	0.32	8.5	1.92	3.17	3.43	3.46	0.87 ± 0.09	0.97
1147+245	—	0.0	13.0	0.77	1.16	1.34	1.12	0.81 ± 0.15	0.85
1215+303	0.237	0.0	14.0	3.3	1.05	0.78	0.89	0.71 ± 0.11	0.63
1219+285	0.13	0.0	10.0	5.0	1.01	2.46	2.46	0.79 ± 0.14	0.76
1308+326	0.996	0.0	28.0	5.6	5.07	4.80	5.55	0.84 ± 0.21	0.90
1418+546	0.152	0.0	24.0	4.8	1.11	1.22	1.59	0.82 ± 0.09	0.81
1514-241	0.049	0.24	7.0	3.0	1.40	1.45	2.64	0.82 ± 0.09	0.68
1538+149	0.605	0.01	32.8	3.7	0.53	0.89	0.65	0.84 ± 0.08	0.84
1652+398	0.033	0.10	7.0	1.30	2.37	1.67	1.40	0.74 ± 0.13	0.39
1727+502	0.055	0.16	6.0	2.1	0.55	0.70	0.82	0.63 ± 0.05	0.44
1749+096	0.320	0.48	32.0	2.7	2.16	2.21	1.96	0.96 ± 0.11	0.89
1807+698	0.051	0.21	12.0	2.0	0.48	0.79	1.02	0.61 ± 0.16	0.56
2005-489	0.071	0.17	—	0.53	0.31	0.29	0.26	0.69 ± 0.02	0.59
2200+420	0.069	0.97	23.0	5.31	2.29	2.42	2.93	0.89 ± 0.11	0.85
2240-260	0.774	0.0	15.1	—	1.28	1.01	1.66	0.88 ± 0.10	0.94
2254+074	0.190	0.04	21.0	2.37	0.97	1.36	1.0	0.83 ± 0.09	0.75

Figure Captions

Fig. 1. Plot of averaged color indices, (J-H) versus (H-K), the error bars are 1σ deviations

Fig. 2. Light curves and color index properties for 0048-097. *a*: J light curve; *b*: H light curve; *c*: K light curve; *d*: J-H vs. K; *e*: J-K vs. K; *f*: H-K vs K; *g*: H-K vs. J-H; *h*: J-K vs. J-H; *i*: J-K vs. H-K

Fig. 3. Light curves and color index properties for 0219+428

Fig. 4. Light curves and color index properties for 0235+164

Fig. 5. Light curves and color index properties for 0537-441

Fig. 6. Light curves and color index properties for 0735+178

Fig. 7. Light curves and color index properties for 0754+100

Fig. 8. Light curves and color index properties for 0818-128

Fig. 9. Light curves and color index properties for 0829+046

Fig. 10. Light curves and color index properties for 0851+202

Fig. 11. Light curves and color index properties for 1101+384

Fig. 12. Light curves and color index properties for 1147+245

Fig. 13. Light curves and color index properties for 1215+303

Fig. 14. Light curves and color index properties for 1219+285

Fig. 15. Light curves and color index properties for 1308+326

Fig. 16. Light curves and color index properties for 1418+546

Fig. 17. Light curves and color index properties for 1514-24

Fig. 18. Light curves and color index properties for 1652+398

Table 4: Near-Infrared Observations of 40 Radio-Selected BL Lac Objects

Name	JD 2400000+	J	ΔJ	H	ΔH	K	ΔK
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)

Fig. 19. Light curves and color index properties for 1727+502

Fig. 20. Light curves and color index properties for 1749+096

Fig. 21. Light curves and color index properties for 2200+420

Fig. 22. Light curves and color index properties for 2254+074

Infrared Variation of Radio Selected BL Lacertae Objects

J. H. Fan

CCAST (World Laboratory), P.O. Box 8730, Beijing 100080, China

and

Center for Astrophysics, Guangzhou Normal University, Guangzhou 510400, China, e-mail:

jhfan@guangztc.edu.cn

and

R.G. Lin

Center for Astrophysics, Guangzhou Normal University, Guangzhou 510400, China

Table 1. Near-Infrared Observations of 40 Radio-Selected BL Lac Objects.

Name	JD 2400000+	J	Δ J	H	Δ H	K	Δ K
0048-097	43349.00					12.73	0.28
0048-097	44140.00	14.57	0.15	13.66	0.08	12.70	0.05
0048-097	44436.50	15.75	0.03	14.86	0.03	13.97	0.03
0048-097	44592.50	14.41	0.15	13.82	0.15	12.97	0.12
0048-097	44772.50	13.97	0.15	13.33	0.12	12.54	0.10
0048-097	44951.50	14.73	0.10	13.86	0.10	12.71	0.10
0048-097	44955.50	14.68	0.10	13.85	0.10	12.87	0.10
0048-097	45933.50	14.26	0.11	13.15	0.10		
0048-097	45934.50	13.42	0.10	12.54	0.10		
0048-097	46643.50			12.90	0.10		
0048-097	46646.50	13.65	0.05	12.52	0.05		
0048-097	46647.50	13.77	0.05	12.94	0.03		
0048-097	46649.50	13.74	0.05	12.95	0.05		
0048-097	46650.50			12.93	0.05		
0048-097	46803.08	13.43	0.03	12.67	0.02	11.91	0.02
0048-097	46804.06	13.47	0.02	12.68	0.02	11.94	0.02
0048-097	46804.50					12.00	
0048-097	46804.50	13.61	0.01	12.80	0.02	12.07	0.02
0048-097	46805.50					12.00	
0048-097	46805.50	13.61		12.80	0.02	12.07	0.02
0048-097	47004.50	13.71	0.07				
0048-097	47006.50			12.99	0.10	12.02	0.10
0048-097	47007.50	14.54		13.07	0.02	12.22	0.06
0048-097	47058.50	13.64	0.10	12.70	0.10		
0048-097	47168.05	14.16	0.04	13.33	0.04	12.42	0.02
0048-097	47168.50					12.50	
0048-097	47376.32	14.05	0.03	13.18	0.04	12.32	0.04

Table 1—Continued

Name	JD 2400000+	J	ΔJ	H	ΔH	K	ΔK
0048-097	47377.35	14.06	0.03	13.20	0.04	12.37	0.03
0048-097	47749.32	14.02	0.06	13.27	0.07	12.42	0.03
0048-097	47751.25	14.13	0.05	13.32	0.03	12.51	0.03
0048-097	47752.29	14.19	0.03	13.37	0.02	12.53	0.02
0048-097	47753.32	14.17	0.03	13.32	0.09	12.53	0.08
0048-097	48640.50	19.97	0.04	18.75	0.03	17.92	0.01
0118-27	44436.50	13.64	0.03	12.88	0.03	12.04	0.02
0118-27	46648.50	13.51	0.05	12.70	0.05		
0118-27	46649.50			12.71	0.05		
0118-27	46650.50			12.67	0.05		
0118-27	47004.50			12.59	0.05		
0118-27	47007.50			12.64	0.05	11.83	0.05
0118-27	47060.50			12.80	0.10		
0118-27	47168.10	13.82	0.03	12.94	0.03	12.16	0.02
0118-27	47168.50					12.20	
0118-27	47169.50					12.20	
0118-27	47377.40	13.94	0.03	13.13	0.04	12.31	0.04
0118-27	47748.40	14.07	0.04	13.26	0.04	12.41	0.05
0118-27	47749.50					12.50	
0118-27	47751.30	14.07	0.03	13.21	0.03	12.40	0.04
0118-27	47752.30	14.05	0.03	13.21	0.02	12.38	0.02
0118-27	47753.30	14.05	0.03	13.19	0.08	12.39	0.07
0138-09	46648.50			13.80	0.08		
0138-09	46649.50			13.85	0.06		
0138-09	46650.50			13.74	0.05		
0138-09	47005.50			13.62	0.05		
0138-09	47007.50			13.76	0.05		

Table 1—Continued

Name	JD 2400000+	J	ΔJ	H	ΔH	K	ΔK
0138-09	47058.50			13.65	0.10	12.92	0.10
0138-09	47059.50			13.80	0.10		
0138-09	47060.50			13.80	0.10		
0138-09	47169.1	14.37	0.04	13.51	0.02	12.71	0.02
0138-09	47377.4	14.73	0.06	13.96	0.06	13.15	0.06
0138-09	47749.3	14.95	0.12	14.21	0.09	13.41	0.08
0138-09	47751.3	14.97	0.06	14.16	0.07	13.33	0.05
0138-09	47752.3	15.24	0.06	14.36	0.04	13.52	0.03
0138-09	48640.50	16.06	0.09	15.08	0.03	14.27	0.04
0219+428	42693.50			12.76	0.20	11.67	0.10
0219+428	45343.50	13.12	0.03	12.31	0.02	11.57	0.03
0219+428	45344.50	13.32	0.02	12.38	0.04	11.74	0.01
0219+428	45345.50	13.15	0.01	12.38	0.01	11.62	0.02
0219+428	45359.50	13.09	0.15	12.41	0.07	11.68	0.07
0219+428	45593.50					11.80	0.10
0219+428	46644.50			12.27	0.05		
0219+428	46647.50			12.49	0.04		
0219+428	46649.50			12.49	0.05		
0219+428	46650.50			12.43	0.05		
0219+428	46675.62	13.23	0.05	12.47	0.03	11.66	0.02
0219+428	46731.51	13.41	0.10	12.42	0.04	11.52	0.04
0219+428	46732.51	13.20	0.07	12.42	0.03	11.57	0.03
0219+428	46766.35	13.32	0.04	12.67	0.06	11.77	0.04
0219+428	46769.42	13.86	0.08	12.93	0.04	12.33	0.06
0219+428	46770.35	13.75	0.09	13.09	0.10	12.18	0.06
0219+428	46773.27	13.59	0.12	12.68	0.05	11.76	0.07
0219+428	46775.43	13.39	0.10	12.57	0.06	11.73	0.05

Table 1—Continued

Name	JD 2400000+	J	ΔJ	H	ΔH	K	ΔK
0219+428	47004.50			12.35	0.05		
0219+428	47007.50			12.53	0.05		
0219+428	47059.50			12.35	0.10		
0219+428	47116.50	12.96	0.04	12.27	0.04	11.46	0.04
0219+428	47150.33	12.76	0.03	12.08	0.02	11.24	0.02
0219+428	47151.47	12.81	0.05	12.20	0.02	11.49	0.03
0219+428	47825.42	12.82	0.06	12.20	0.03	11.35	0.03
0219+428	48110.50					12.41	0.07
0219+428	48272.50	13.15	0.05	12.19	0.03	11.59	0.10
0219+428	48274.50	12.93	0.09	12.37	0.07	11.57	0.08
0219+428	48276.50	13.13	0.08	12.51	0.04	11.73	0.04
0219+428	48277.50	13.02	0.15	12.35	0.05	11.60	0.03
0219+428	48324.50	13.10	0.06	12.48	0.05	11.65	0.03
0219+428	48326.50	13.51	0.06	12.67	0.09	11.74	0.04
0219+428	48330.50	13.35	0.13	12.73	0.02	11.72	0.02
0219+428	48333.50	13.16	0.04	12.34	0.02	11.44	0.05
0219+428	48335.50	12.76	0.08	12.17	0.09	11.30	0.06
0219+428	48341.50	13.81	0.21	13.38	0.26	12.49	0.14
0219+428	48479.50	13.22	0.17	12.38	0.07	11.60	0.04
0219+428	48483.50	13.56	0.26	12.50	0.09	11.83	0.16
0219+428	48485.50	13.33	0.02	12.31	0.03	11.27	0.07
0219+428	48559.46	13.02	0.08	12.23	0.03	11.45	0.03
0219+428	48607.32	13.43	0.05	12.78	0.03	12.00	0.04
0219+428	48927.35	13.24	0.05	12.46	0.02	11.64	0.02
0219+428	48929.51	13.37	0.04	12.50	0.03	11.69	0.02
0219+428	49232.56	12.31	0.10	11.54	0.03	10.90	0.04
0219+428	49234.49	12.29	0.10	11.51	0.03	10.88	0.02

Table 1—Continued

Name	JD 2400000+	J	ΔJ	H	ΔH	K	ΔK
0235+164	42694.50	11.76	0.10			9.83	0.05
0235+164	42712.50	11.91	0.05	11.07	0.05	9.91	0.05
0235+164	42713.50	11.87	0.05	11.00	0.05	9.86	0.05
0235+164	42726.50	11.56	0.05	10.66	0.05	9.68	0.05
0235+164	42728.50	11.25	0.05	10.42	0.05	8.82	0.05
0235+164	42744.50	12.00	0.05	11.32	0.05	10.16	0.05
0235+164	42748.50					9.94	0.05
0235+164	42749.50	12.05	0.05	11.05	0.05	10.05	0.05
0235+164	42756.50			11.58	0.19	10.49	0.06
0235+164	42758.50			11.53	0.21	10.51	0.07
0235+164	42765.50	12.54	0.05	11.64	0.05	10.59	0.05
0235+164	42766.50					10.75	0.05
0235+164	43077.50	14.19	0.14	13.15	0.08	12.17	0.05
0235+164	43082.50			12.98	0.09	12.08	0.05
0235+164	43159.50			13.94	0.23	13.27	0.15
0235+164	44226.50			12.91	0.03	11.57	0.02
0235+164	44227.50			12.64	0.04	11.76	0.03
0235+164	44228.50	13.95	0.05	12.77	0.04	11.66	0.03
0235+164	44229.50					11.67	0.02
0235+164	44230.50	13.58	0.06	12.45	0.04	11.59	0.02
0235+164	44431.50					12.07	0.01
0235+164	44432.50			13.47	0.08	12.45	0.02
0235+164	44461.50			12.98	0.09	11.80	0.03
0235+164	44462.50	13.80	0.09	12.85	0.09	11.73	0.03
0235+164	44463.50	13.90	0.08	12.96	0.07	11.73	0.03
0235+164	44519.50			12.87	0.12	11.79	0.08
0235+164	44545.50	13.05	0.02	11.91	0.02	10.95	0.02

Table 1—Continued

Name	JD 2400000+	J	Δ J	H	Δ H	K	Δ K
0235+164	44552.50	13.56	0.04	12.60	0.05	11.40	0.01
0235+164	44559.50	13.08	0.02	11.94	0.02	10.95	0.02
0235+164	44590.50			13.47	0.16	12.14	0.07
0235+164	44591.50					12.24	0.11
0235+164	45224.50	14.50	0.05	13.50	0.06	12.57	0.06
0235+164	45299.50	14.19	0.03	13.50	0.03	12.57	0.02
0235+164	45327.50	13.60	0.10	12.53	0.10		
0235+164	45338.50					11.34	0.10
0235+164	45339.50					11.14	0.10
0235+164	45343.50	13.40	0.02	12.31	0.02	11.45	0.03
0235+164	45344.50	13.45	0.02	12.39	0.04	11.47	0.01
0235+164	45345.50	13.49	0.02	12.48	0.01	11.59	0.02
0235+164	45347.50	13.34	0.03	12.39	0.02	11.51	0.02
0235+164	45371.50	13.98	0.06	13.07	0.11	12.02	0.07
0235+164	45552.50	14.65	0.05	13.37	0.05	12.53	0.04
0235+164	45592.50			12.49	0.10	11.52	0.10
0235+164	45595.50	13.75	0.05	12.64	0.03	11.73	0.03
0235+164	45608.50	14.60	0.10			12.69	0.07
0235+164	45718.50	13.56	0.10	12.50	0.10	11.61	0.10
0235+164	45719.50	13.64	0.10	12.57	0.10	11.51	0.10
0235+164	45736.50	14.26	0.04	13.23	0.07	12.30	0.09
0235+164	46033.50	15.46	0.11	14.28	0.06	13.29	0.04
0235+164	46037.50	15.21	0.36	14.71	0.17	13.32	0.09
0235+164	46415.50	14.56	0.18	13.76	0.09	12.88	0.09
0235+164	46439.50					13.53	0.16
0235+164	46441.50	14.92	0.12	14.33	0.11	13.16	0.08
0235+164	46763.50	12.78	0.03	11.80	0.02	10.90	0.01

Table 1—Continued

Name	JD 2400000+	J	ΔJ	H	ΔH	K	ΔK
0235+164	46766.50	13.43	0.05	12.32	0.02	11.37	0.03
0235+164	46767.50	13.20	0.05	12.23	0.03	11.13	0.02
0235+164	46849.50	12.30	0.03	11.38	0.02	10.46	0.02
0235+164	47005.50	14.17	0.10	12.87	0.05	11.80	0.05
0235+164	47059.50	14.47	0.10	13.48	0.10	12.57	0.10
0235+164	47113.50	14.88	0.10	13.92	0.08	12.79	0.09
0235+164	47115.50			13.53	0.08	12.58	0.07
0235+164	47116.50	14.79	0.15	13.50	0.07	12.69	0.07
0235+164	48105.50			13.20	0.12	12.48	0.05
0235+164	48106.50					12.42	0.10
0235+164	48272.50	12.90	0.11	11.91	0.03	10.87	0.03
0235+164	48274.50	13.07	0.11	12.13	0.05	11.01	0.02
0235+164	48276.50	13.76	0.11	12.69	0.06	11.62	0.08
0235+164	48277.50	13.86	0.16	12.68	0.06	11.73	0.06
0235+164	48326.50	13.90	0.17	12.98	0.08	12.01	0.07
0235+164	48330.50	14.07	0.11	13.34	0.11	11.90	0.04
0235+164	48333.50	14.80	0.37	13.70	0.10	12.47	0.05
0235+164	48335.50	14.00	0.23	13.51	0.16	12.16	0.09
0235+164	48478.50	13.72	0.23	13.22	0.14	12.38	0.13
0235+164	48480.50			13.40	0.24	12.56	0.22
0235+164	48482.50	14.00	0.08	13.18	0.13	12.35	0.06
0235+164	48640.50	14.43	0.02	13.39	0.01	12.38	0.01
0235+164	49246.50	16.21	0.02	15.29	0.06	14.32	0.03
0300+471	43846.50			13.44	0.06	12.46	0.04
0306+103	44230.50					11.98	0.01
0306+103	44553.50					11.82	0.03
0537-441	43435.00			12.90	0.24	11.85	0.11

Table 1—Continued

Name	JD 2400000+	J	ΔJ	H	ΔH	K	ΔK
0537-441	43520.00					12.21	0.19
0537-441	43602.00	13.68	0.15	12.86	0.12	11.86	0.07
0537-441	43883.00			13.57	0.08	12.75	0.07
0537-441	43948.50	15.44	0.08	14.44	0.04	13.29	0.03
0537-441	44001.00	13.81	0.08	12.92	0.05	12.01	0.03
0537-441	44172.00	13.73	0.06	12.93	0.04	11.83	0.03
0537-441	44204.00	14.55	0.16	13.68	0.07	12.66	0.05
0537-441	44276.00	13.10		12.22		11.35	
0537-441	44322.00	14.54	0.17	13.82	0.10	12.88	0.09
0537-441	44467.50	13.45	0.02	12.57	0.02	11.70	0.02
0537-441	44559.50	13.90	0.01	12.98	0.01	12.06	0.01
0537-441	44679.00	13.63		12.76		11.82	
0537-441	45327.50	13.49	0.11	12.58	0.10		
0537-441	46108.50	12.40	0.05	11.69	0.05	10.86	0.05
0537-441	46803.3	13.76	0.03	12.85	0.02	11.97	0.02
0537-441	47169.2	14.51	0.05	13.54	0.02	12.55	0.02
0537-441	47378.4	14.72	0.06	13.83	0.05	12.90	0.05
0735+178	42692.50			12.22	0.19	11.13	0.08
0735+178	42727.50	12.99	0.11	12.20	0.05	11.27	0.06
0735+178	42754.50			12.65	0.21	11.66	0.10
0735+178	43159.50	12.43	0.06	11.73	0.06	10.84	0.06
0735+178	43201.50	11.96	0.05	11.18	0.05	10.32	0.05
0735+178	43202.50					10.40	0.06
0735+178	43225.50	12.08	0.12	11.28	0.06	10.49	0.07
0735+178	43492.50					12.26	0.10
0735+178	43811.50			12.93	0.08	12.01	0.08
0735+178	43848.50	12.68	0.06	11.58	0.05		

Table 1—Continued

Name	JD 2400000+	J	ΔJ	H	ΔH	K	ΔK
0735+178	44167.50	13.72	0.18	13.13	0.10	12.25	0.10
0735+178	44226.50			12.28	0.04	11.44	0.01
0735+178	44226.50	13.24	0.06	12.37	0.04	11.55	0.03
0735+178	44228.50			12.24	0.03	11.40	0.01
0735+178	44229.50			12.59	0.04	11.65	0.02
0735+178	44230.50	13.05	0.06	12.24	0.04	11.42	0.01
0735+178	44350.50			12.48	0.02	11.49	0.01
0735+178	44351.50	12.85	0.03	12.10	0.03	11.27	0.02
0735+178	44518.50	12.44	0.05	11.59	0.03	10.78	0.04
0735+178	44519.50	12.31	0.05	11.51	0.03	10.69	0.03
0735+178	44522.50	12.75	0.07	11.83	0.06	10.92	0.03
0735+178	44523.50	12.58	0.08	11.73	0.07	10.82	0.04
0735+178	44552.50	12.44	0.01	11.71	0.01	10.81	0.01
0735+178	44553.50	12.30	0.02			10.68	0.01
0735+178	44558.00	11.95	0.01	11.12	0.02	10.34	0.01
0735+178	44559.50	11.95	0.02	11.12	0.01	10.34	0.01
0735+178	44583.50	12.40	0.05	11.54	0.04	10.68	0.02
0735+178	44589.50	12.61	0.06	11.80	0.07	10.76	0.02
0735+178	44590.50					10.92	0.03
0735+178	44593.50	13.32	0.10	12.39	0.10	11.80	0.10
0735+178	44654.50	12.31	0.06	11.46	0.06	10.94	0.06
0735+178	44699.50			12.50	0.03	11.82	0.03
0735+178	44700.50	13.07	0.08			11.32	0.04
0735+178	44701.50	13.60	0.04	12.57	0.04	11.44	0.03
0735+178	44702.50			12.34	0.02	11.35	0.03
0735+178	44703.50			12.14	0.02	11.32	0.04
0735+178	44725.50			11.82	0.05	11.03	0.03

Table 1—Continued

Name	JD 2400000+	J	ΔJ	H	ΔH	K	ΔK
0735+178	44727.50	12.54	0.02	11.70	0.05	10.86	0.03
0735+178	44728.50	12.64	0.06	11.89	0.06	11.08	0.06
0735+178	44729.50	13.47	0.02	12.82	0.06	11.42	0.03
0735+178	44956.50	14.09	0.09	13.43	0.08	12.72	0.09
0735+178	45129.00					10.90	0.10
0735+178	45130.00					10.91	0.10
0735+178	45131.00					11.05	0.10
0735+178	45299.50	12.51	0.02	11.65	0.01	10.86	0.02
0735+178	45317.50	12.49	0.10	11.73	0.10	11.06	0.10
0735+178	45327.50	12.51	0.10	11.73	0.10	11.06	0.10
0735+178	45336.00					11.07	0.10
0735+178	45338.00					11.04	0.10
0735+178	45339.00					11.06	0.10
0735+178	45342.50	12.80	0.04	11.87	0.04	11.15	0.01
0735+178	45343.50	12.83	0.02	11.91	0.02	11.09	0.03
0735+178	45344.50	12.89	0.02	11.86	0.04	11.11	0.01
0735+178	45345.50	12.82	0.01	12.00	0.01	11.18	0.02
0735+178	45347.50	12.77	0.03	11.95	0.02	11.13	0.02
0735+178	45370.50	13.28	0.03	12.43	0.03	11.48	0.03
0735+178	45424.50	12.99	0.06	12.19	0.05	11.40	0.08
0735+178	45443.50	12.83	0.08	12.17	0.07	11.39	0.08
0735+178	45592.00					11.29	0.10
0735+178	45595.50	13.00	0.02	12.15	0.02	11.32	0.02
0735+178	45608.50	13.24	0.01	12.46	0.01	11.63	0.01
0735+178	45730.50	13.36	0.02	12.45	0.01	11.62	0.01
0735+178	45810.50	13.41	0.05	12.50	0.04	11.62	0.04
0735+178	46033.50	14.30	0.04	13.32	0.09	12.38	0.05

Table 1—Continued

Name	JD 2400000+	J	ΔJ	H	ΔH	K	ΔK
0735+178	46037.50	14.42	0.18	13.29	0.10	12.36	0.10
0735+178	46112.50	13.35	0.06	12.52	0.05	11.68	0.04
0735+178	46388.50	12.80	0.05	12.12	0.04	11.23	0.03
0735+178	46389.50	12.86	0.06	12.22	0.04	11.30	0.03
0735+178	46439.50	12.97	0.05	12.27	0.05	11.36	0.03
0735+178	46441.50	12.98	0.05	12.21	0.03	11.41	0.01
0735+178	46481.50	13.33	0.06	12.50	0.06	11.64	0.06
0735+178	46506.50	13.55	0.08	12.55	0.04	11.75	0.04
0735+178	46763.50	14.14	0.10	13.15	0.05	12.11	0.05
0735+178	46766.50	13.81	0.06	12.96	0.03	12.00	0.03
0735+178	46767.55	13.76	0.06	12.86	0.03	12.02	0.03
0735+178	46767.50	13.83	0.06	12.89	0.03	12.05	0.04
0735+178	46769.59	13.75	0.07	12.80	0.06	11.99	0.06
0735+178	46770.49	13.73	0.06	12.77	0.03	11.93	0.03
0735+178	46773.71	13.64	0.07	12.70	0.05	11.78	0.08
0735+178	46777.49	13.75	0.06	12.88	0.03	12.06	0.03
0735+178	46804.00	13.98	0.13	12.95	0.08	11.99	0.05
0735+178	46805.50					12.10	
0735+178	46849.50	14.16	0.07	13.12	0.06	12.23	0.06
0735+178	46921.50	13.85	0.06	12.84	0.05	11.90	0.04
0735+178	47113.50			13.15	0.07	12.19	0.06
0735+178	47115.50	13.84	0.12	12.92	0.05	12.10	0.06
0735+178	47132.50	13.79	0.09	12.94	0.06	12.08	0.07
0735+178	47149.56	14.08	0.18	13.14	0.13	12.22	0.08
0735+178	47152.54	13.82	0.13	13.18	0.07	12.21	0.05
0735+178	47207.50			12.73	0.03		
0735+178	47208.50			12.67	0.04		

Table 1—Continued

Name	JD 2400000+	J	ΔJ	H	ΔH	K	ΔK
0735+178	47210.50			12.64	0.17		
0735+178	47570.00	13.84	0.06	12.89	0.05	11.93	0.04
0735+178	48176.50	13.27		12.47		11.58	
0735+178	48383.50	13.05	0.01	12.17	0.01	11.29	0.01
0735+178	48384.50	13.12	0.02	12.22	0.03	11.30	0.03
0735+178	48607.50	13.59	0.11	12.63	0.07	11.85	0.04
0735+178	48639.50	13.60	0.01	12.66	0.08	11.75	0.01
0735+178	48644.65	13.49	0.12	12.58	0.12	11.67	0.06
0735+178	48653.43	13.70	0.07	12.81	0.05	11.86	0.04
0735+178	48654.39	13.48	0.07	12.78	0.03	11.96	0.03
0735+178	48928.60	13.65	0.11	12.86	0.06	12.11	0.02
0735+178	48928.64	14.06	0.06	12.99	0.04	12.07	0.03
0735+178	48931.64	13.69	0.06	12.87	0.02	12.05	0.02
0735+178	49311.50	13.42	0.03	12.67	0.04	11.78	0.04
0754+100	42900.00	12.31		11.49		10.55	
0754+100	42902.00			11.45		10.58	
0754+100	43182.00			11.40			
0754+100	43183.00			11.21			
0754+100	43610.50					11.40	0.08
0754+100	43811.50			12.59	0.08	11.74	0.06
0754+100	43846.50	12.83	0.08	12.27	0.05	11.32	0.03
0754+100	43847.00			11.87			
0754+100	43957.50	12.93	0.09	12.33	0.08	11.43	0.05
0754+100	44226.50					10.62	0.02
0754+100	44227.50			11.52	0.04	10.61	0.03
0754+100	44228.50					10.71	0.01
0754+100	44229.50			11.69	0.04	10.96	0.02

Table 1—Continued

Name	JD 2400000+	J	Δ J	H	Δ H	K	Δ K
0754+100	44545.00	13.48		12.58		11.71	
0754+100	44559.50	13.47	0.02	12.57	0.01	11.71	0.02
0754+100	44699.50					11.88	0.03
0754+100	44700.50					11.64	0.05
0754+100	44701.50					11.78	0.04
0754+100	44702.50	13.56	0.04	12.42	0.03	11.43	0.03
0754+100	44703.50	13.13	0.03	12.37	0.07	11.78	0.04
0754+100	45095.50	12.63	0.06	11.72	0.05	10.86	0.05
0754+100	45310.50					11.15	0.10
0754+100	45311.50					11.19	0.10
0754+100	45326.50	12.80	0.10	12.03	0.10		
0754+100	45327.50	12.72	0.10	12.07	0.10		
0754+100	45337.50					11.12	0.10
0754+100	45343.50	13.05	0.02	12.17	0.02	11.31	0.03
0754+100	45344.50	13.10	0.02	12.29	0.04	11.47	0.01
0754+100	45346.50	12.93	0.01	12.13	0.02	11.31	0.02
0754+100	45609.50	13.28	0.01	12.44	0.01	11.60	0.01
0754+100	46037.50	13.67	0.11	12.70	0.07	11.68	0.06
0754+100	46083.30	13.19	0.02	12.37	0.02	11.53	0.02
0754+100	46376.75	13.01	0.04	12.11	0.06	11.41	0.04
0754+100	46468.43	13.68	0.05	12.91	0.03	12.06	0.04
0754+100	46473.44	14.08	0.06	13.27	0.07	12.39	0.03
0754+100	46767.50	13.39	0.05	12.55	0.02	11.67	0.03
0754+100	46767.57	13.46	0.04	12.58	0.04	11.78	0.04
0754+100	46769.60	13.30	0.05	12.47	0.05	11.68	0.06
0754+100	46770.53	13.38	0.07	12.56	0.03	11.77	0.05
0754+100	46774.71	13.65	0.14	12.49	0.06	11.92	0.07

Table 1—Continued

Name	JD 2400000+	J	ΔJ	H	ΔH	K	ΔK
0754+100	46777.50	13.66	0.08	12.80	0.03	11.96	0.04
0754+100	46802.10	13.20	0.02	12.32	0.02	11.51	0.02
0754+100	46804.50					11.60	
0754+100	46850.50	13.20	0.05	12.48	0.02	11.56	0.03
0754+100	47116.50	13.84	0.09	13.01	0.08	12.43	0.10
0754+100	47149.59	13.09	0.06	12.30	0.04	11.50	0.04
0754+100	47151.52	13.13	0.10	12.34	0.03	11.62	0.04
0754+100	47152.54	13.15	0.07	12.18	0.06	11.36	0.04
0754+100	47169.20	13.30	0.08	12.42	0.07	11.56	0.07
0754+100	47207.50			12.46	0.03	11.59	0.03
0754+100	47208.50			12.52	0.03	11.63	0.03
0754+100	47209.50			12.51	0.04		
0754+100	47210.50			12.40	0.16	11.56	0.09
0754+100	47223.43	13.18	0.06	12.56	0.04	11.56	0.08
0754+100	48607.51	13.58	0.11	12.71	0.07	11.98	0.04
0754+100	48654.43	13.85	0.10	13.06	0.06	12.30	0.08
0754+100	48928.62	13.75	0.10	12.86	0.04	12.02	0.02
0754+100	48931.62	13.58	0.07	12.93	0.06	12.00	0.02
0814+42	48383.50	15.15	0.03	14.19	0.02	13.30	0.01
0814+42	48640.50	16.77	0.04	15.82	0.05	14.82	0.03
0818+128	44559.50	13.29	0.02	12.43	0.02	11.57	0.02
0818+128	44702.50	13.02	0.02	12.45	0.03	11.62	0.03
0818+128	44703.50	13.31	0.02	12.55	0.02	11.79	0.04
0818+128	44727.50			11.99	0.06	11.27	0.03
0818+128	44728.50					11.42	0.05
0818+128	45327.50			13.90	0.12		
0818+128	46033.50					12.74	0.15

Table 1—Continued

Name	JD 2400000+	J	ΔJ	H	ΔH	K	ΔK
0818+128	46037.50	14.73	0.21	13.73	0.12	12.84	0.09
0818+128	46506.50	13.91	0.08	13.07	0.06	12.42	0.07
0818+128	46804.30	14.49	0.17	13.59	0.13	12.77	0.11
0818+128	46805.50					12.90	
0818+128	47179.30	14.61	0.06	13.84	0.05	12.89	0.07
0818+128	47207.50			14.13	0.05	13.28	0.05
0818+128	47208.50	15.15	0.06			13.23	0.05
0818+128	47209.50	14.10	0.05				
0818+128	47570.10	14.91	0.09	14.07	0.08	13.28	0.08
0820+22	48384.50	17.63	0.16			15.75	0.14
0820+22	48639.50	17.76	0.07	16.54	0.07	15.59	0.04
0823+03	48384.50	13.73	0.02	12.98	0.02	12.39	0.03
0823+03	48639.50	14.48	0.01	13.79	0.02	13.24	0.02
0828+49	48384.50	15.81	0.05	14.80	0.10	14.09	0.05
0828+49	48639.50	16.39	0.04	15.44	0.05	14.53	0.02
0829+046	44559.50	13.51	0.02	12.62	0.02	11.79	0.02
0829+046	44589.50	13.65	0.29	12.68	0.08	11.81	0.08
0829+046	44590.50					11.59	0.08
0829+046	46467.48	13.67	0.06	12.93	0.03	12.03	0.03
0829+046	46468.50	13.63	0.06	12.70	0.05	11.95	0.04
0829+046	46766.59	14.25	0.08	13.45	0.05	12.65	0.06
0829+046	46768.61	14.21	0.09	13.47	0.06	12.50	0.05
0829+046	46777.56	13.86	0.07	13.14	0.04	12.24	0.03
0829+046	46803.34	13.57	0.03	12.69	0.02	11.81	0.02
0829+046	46804.50					11.90	
0829+046	46867.59	14.61	0.10	13.78	0.10	13.04	0.07
0829+046	47116.50	14.70	0.27	13.22	0.11	12.71	0.10

Table 1—Continued

Name	JD 2400000+	J	ΔJ	H	ΔH	K	ΔK
0829+046	47149.62	14.67	0.27	13.52	0.18	12.49	0.08
0829+046	47151.60	14.39	0.24	13.42	0.04	12.41	0.06
0829+046	47152.56	14.52	0.17	13.57	0.10	12.78	0.06
0829+046	47170.32	14.09	0.06	13.16	0.04	12.30	0.04
0829+046	47573.25	12.59	0.04	11.70	0.07	10.89	0.04
0829+046	47579.16	13.11	0.05	12.19	0.04	11.31	0.08
0829+046	48607.52	13.74	0.12	12.93	0.07	12.10	0.03
0829+046	48928.65	13.15	0.04	12.31	0.03	11.57	0.02
0829+046	48931.66	13.35	0.04	12.51	0.03	11.71	0.01
0851+202	41250.50					9.14	
0851+202	41266.50					8.81	
0851+202	41296.50					8.87	
0851+202	41345.50					9.10	
0851+202	41362.50			9.98	0.08		
0851+202	41363.50			10.25	0.07	9.36	0.10
0851+202	41365.50			10.23	0.11		
0851+202	41374.50					9.51	
0851+202	41413.50					9.51	
0851+202	41448.50					9.94	
0851+202	41472.50					9.94	
0851+202	41693.50					10.25	
0851+202	41997.50					11.62	
0851+202	42727.50	13.42	0.10	12.72	0.05	11.81	0.06
0851+202	42756.50					11.83	0.33
0851+202	42869.50					12.05	0.18
0851+202	42899.50			12.48	0.15	11.96	0.44
0851+202	43159.50	12.99	0.08	12.40	0.06	11.35	0.07

Table 1—Continued

Name	JD 2400000+	J	ΔJ	H	ΔH	K	ΔK
0851+202	43227.50	12.41	0.13	11.74	0.13	10.99	0.07
0851+202	43258.50					11.72	
0851+202	43492.50					11.40	0.11
0851+202	43865.50					11.44	
0851+202	43984.50	13.05		12.35		11.49	
0851+202	43985.50	12.64		11.69		11.03	
0851+202	44146.50					11.31	
0851+202	44168.50	13.11		12.27		11.46	
0851+202	44201.50	12.89		12.04		11.16	
0851+202	44202.50	12.25		11.23		11.33	
0851+202	44226.50			11.81	0.04	10.95	0.01
0851+202	44227.50	12.48	0.06	11.78	0.04	10.89	0.03
0851+202	44228.50			11.78	0.02	10.82	0.01
0851+202	44229.50			11.85	0.04	11.08	0.01
0851+202	44230.50	12.60	0.06	11.70	0.04	10.86	0.02
0851+202	44246.50					11.46	
0851+202	44350.50	13.00	0.06	12.38	0.02	11.44	0.01
0851+202	44351.50	12.59	0.05	11.73	0.03	10.99	0.02
0851+202	44394.50	13.11		12.25		11.48	
0851+202	44395.50	13.03		12.20		11.46	
0851+202	44536.50	13.32	0.24	12.91	0.20	11.63	0.16
0851+202	44559.50	12.87	0.02	11.99	0.02	11.16	0.02
0851+202	44589.50	13.32	0.33	12.69	0.17	11.56	0.05
0851+202	44590.50	13.34	0.29	13.04	0.16	11.82	0.05
0851+202	44649.50					10.94	0.01
0851+202	44676.50	12.85	0.06	12.03	0.06	11.08	0.05
0851+202	44677.50	12.34	0.06	11.49	0.05	10.66	0.05

Table 1—Continued

Name	JD 2400000+	J	ΔJ	H	ΔH	K	ΔK
0851+202	44678.50	12.59	0.05	11.70	0.05	10.86	0.05
0851+202	44700.50					11.81	0.04
0851+202	44701.50			12.45	0.02	11.53	0.04
0851+202	44702.50			12.38	0.02	11.40	0.03
0851+202	44703.50	12.99	0.03	12.25	0.02	11.55	0.03
0851+202	44732.50	13.08	0.02	12.19	0.06	11.20	0.03
0851+202	44736.50	12.87	0.02	11.99	0.02	10.93	0.03
0851+202	45299.50	12.36	0.02	11.52	0.01	10.71	0.02
0851+202	45310.50					10.90	0.10
0851+202	45311.50					10.90	0.10
0851+202	45327.50	13.02	0.10	12.20	0.10	11.13	0.10
0851+202	45337.50					9.59	0.10
0851+202	45338.50					9.56	0.10
0851+202	45339.50	11.44	0.10	10.59	0.10	9.76	0.10
0851+202	45342.50	11.01	0.04	10.26	0.04	9.61	0.01
0851+202	45343.50	10.73	0.02	9.94	0.02	9.17	0.03
0851+202	45344.50	10.89	0.02	10.15	0.04	9.27	0.01
0851+202	45345.50	10.97		10.21	0.01	9.41	0.02
0851+202	45346.50	11.04	0.01	10.29	0.01	9.47	0.02
0851+202	45347.50	10.89	0.03	10.12	0.02	9.34	0.02
0851+202	45368.50	11.73	0.01	10.91	0.01	10.04	0.02
0851+202	45370.50	11.67	0.02	10.85	0.01		
0851+202	45401.50	11.49	0.04	10.70	0.06	9.88	0.06
0851+202	45424.50	11.48	0.06	10.69	0.05	9.90	0.05
0851+202	45433.50	11.49	0.04	10.70	0.07	9.88	0.06
0851+202	45443.50	11.67	0.08	10.93	0.08	10.06	0.08
0851+202	45608.50	11.94	0.01	11.13	0.01	10.26	0.01

Table 1—Continued

Name	JD 2400000+	J	ΔJ	H	ΔH	K	ΔK
0851+202	45718.50	12.38	0.10	11.52	0.10	10.62	0.10
0851+202	45729.50	12.54	0.01	11.62	0.01	10.80	0.01
0851+202	45734.50	12.64	0.04	11.75	0.03	10.91	0.06
0851+202	45737.50	12.77	0.06	11.93	0.06	11.10	0.07
0851+202	45738.50	12.72	0.05	11.88	0.05	10.99	0.05
0851+202	45768.50	11.89	0.05	11.09	0.05	10.29	0.05
0851+202	45809.50	13.47	0.05	12.61	0.05	11.74	0.05
0851+202	45810.50	13.42	0.02	12.53	0.02	11.71	0.02
0851+202	45812.50	13.34	0.01	12.43	0.03	11.63	0.02
0851+202	46033.50	14.26	0.04	13.32	0.05	12.35	0.03
0851+202	46035.50	14.60	0.12	13.58	0.12	12.75	0.05
0851+202	46037.50	14.29	0.09	13.73	0.08	12.49	0.06
0851+202	46057.50	13.95	0.05	13.05	0.06	12.03	0.06
0851+202	46111.50	12.87	0.04	12.25	0.05	11.34	0.02
0851+202	46119.50	12.89	0.05	12.12	0.05	11.23	0.05
0851+202	46147.50	13.29	0.08	12.58	0.05	11.66	0.04
0851+202	46180.50	12.41	0.05	11.60	0.05	10.80	0.05
0851+202	46388.50	13.68	0.15	12.77	0.07	11.91	0.06
0851+202	46439.50	14.54	0.20	13.52	0.11	12.57	0.08
0851+202	46441.50	13.93	0.08	13.10	0.05	12.05	0.04
0851+202	46473.74	13.49	0.04	12.70	0.04	11.76	0.03
0851+202	46475.45	13.57	0.06	12.67	0.04	11.78	0.03
0851+202	46476.40					12.24	0.04
0851+202	46476.40					12.28	0.05
0851+202	46476.48					12.33	0.05
0851+202	46476.42			13.25	0.07	12.27	0.05
0851+202	46476.44			13.25	0.07	12.28	0.04

Table 1—Continued

Name	JD 2400000+	J	ΔJ	H	ΔH	K	ΔK
0851+202	46476.44			13.31	0.07	12.20	0.04
0851+202	46476.52			13.31	0.07	12.23	0.03
0851+202	46481.50	13.60	0.08	12.75	0.08	11.79	0.07
0851+202	46484.50	13.69	0.04	12.75		11.80	
0851+202	46486.50	13.77	0.09	12.75	0.08	11.82	0.07
0851+202	46506.50	13.04	0.05	12.12	0.03	11.22	0.02
0851+202	46716.50	12.93	0.11	12.14	0.10	11.28	0.10
0851+202	46763.50	13.34	0.07	12.44	0.04	11.52	0.04
0851+202	46767.52	13.26	0.05	12.50	0.02	11.64	0.02
0851+202	46767.62	13.44	0.03	12.72	0.02	11.82	0.03
0851+202	46767.60	13.48	0.05	12.63	0.02	11.75	0.03
0851+202	46767.64	13.54	0.03	12.76	0.02	11.87	0.02
0851+202	46767.66	13.55	0.03	12.75	0.02	11.95	0.02
0851+202	46767.72	13.60	0.03	12.73	0.02	11.95	0.02
0851+202	46767.67	13.65	0.04	12.79	0.02	11.97	0.03
0851+202	46767.70	13.69	0.04	12.85	0.02	11.91	0.02
0851+202	46768.57	13.44	0.07	12.62	0.04	11.61	0.05
0851+202	46769.65	13.48	0.04	12.73	0.02	11.82	0.03
0851+202	46769.69	13.72	0.09	13.09	0.05	12.06	0.03
0851+202	46769.71	13.90	0.09	13.04	0.04	12.15	0.07
0851+202	46770.52	13.51	0.07	12.70	0.03	11.72	0.04
0851+202	46770.54	13.61	0.05	12.66	0.04	11.74	0.03
0851+202	46771.52	13.55	0.06	12.68	0.04	11.81	0.05
0851+202	46771.63	13.65	0.07	12.91	0.04	11.96	0.05
0851+202	46772.54	13.63	0.09	12.79	0.07	11.98	0.03
0851+202	46775.67			12.86	0.05		
0851+202	46775.58			12.90	0.05		

Table 1—Continued

Name	JD 2400000+	J	ΔJ	H	ΔH	K	ΔK
0851+202	46776.59					11.95	0.05
0851+202	46776.70					12.01	0.05
0851+202	46777.63					11.95	0.02
0851+202	46777.71	13.71	0.11	12.87	0.08	12.06	0.07
0851+202	46777.50	13.77	0.02	12.88	0.03	11.92	0.03
0851+202	46778.50	13.61	0.11	12.96	0.05	12.00	0.06
0851+202	46778.50	13.65	0.09	12.90	0.04	12.01	0.03
0851+202	46787.50	14.19	0.27	12.79	0.03	11.85	0.03
0851+202	46803.32	14.01	0.03	13.19	0.02	12.29	0.02
0851+202	46804.50					12.40	
0851+202	46807.50	14.03	0.03	13.23	0.04	12.28	0.03
0851+202	46811.50			12.68	0.11	11.79	0.06
0851+202	46849.50	13.50	0.06	12.52	0.04	11.68	0.03
0851+202	46851.50	13.41	0.03	12.53	0.03	11.62	0.03
0851+202	46863.50	13.38	0.06	12.41	0.04	11.53	0.03
0851+202	46864.50	13.39	0.07	12.37	0.02	11.64	0.03
0851+202	46884.50	13.30	0.03	12.46	0.04	11.54	0.04
0851+202	46896.50	13.53	0.04	12.64	0.04	11.74	0.03
0851+202	46921.50	13.54	0.08	12.73	0.04	11.89	0.06
0851+202	46924.50	13.80		12.87		12.01	
0851+202	46925.50	13.80	0.06	12.87	0.04	12.01	0.03
0851+202	46926.50	13.71	0.11	12.77	0.05	11.82	0.04
0851+202	47116.50	13.89	0.12	12.72	0.08	11.86	0.06
0851+202	47150.64	13.57	0.10	12.54	0.06	11.71	0.06
0851+202	47152.58			12.99	0.07	12.13	0.05
0851+202	47152.69	13.64	0.08	13.07	0.06	12.26	0.04
0851+202	47152.70	13.67	0.08	12.88	0.07	12.04	0.04

Table 1—Continued

Name	JD 2400000+	J	ΔJ	H	ΔH	K	ΔK
0851+202	47152.50	13.80	0.10	12.99	0.05	12.13	0.07
0851+202	47153.50	13.57	0.08	12.84	0.05	11.86	0.04
0851+202	47170.29	13.24	0.05	12.22	0.03	11.30	0.03
0851+202	47172.31	13.26	0.03	12.25	0.02	11.31	0.04
0851+202	47207.50			12.93	0.03		
0851+202	47208.50			12.94	0.05		
0851+202	47209.50			12.89	0.03	11.97	0.03
0851+202	47244.50					12.00	
0851+202	47248.50					12.60	
0851+202	47258.50	13.64	0.04	12.78	0.03	11.85	0.03
0851+202	47523.50	13.60	0.10	12.76	0.03	11.87	0.04
0851+202	47570.17	12.90	0.05	12.01	0.09	11.16	0.04
0851+202	47573.27	12.77	0.04	11.92	0.03	11.05	0.03
0851+202	47573.50	12.88	0.10	12.03	0.04	11.12	0.04
0851+202	47669.50	14.34	0.04	13.42	0.03	12.52	0.04
0851+202	47828.50	13.56	0.04	12.69	0.03	11.75	0.04
0851+202	47845.50	13.55	0.04	12.67	0.04	11.74	0.03
0851+202	48004.50	14.46	0.04	13.56	0.03	12.61	0.04
0851+202	48272.50	13.11	0.28	12.19	0.11	12.07	0.12
0851+202	48273.00	13.11	0.28	12.19	0.11	12.07	0.12
0851+202	48275.02	13.42	0.20	12.61	0.06	11.72	0.06
0851+202	48276.00	13.20	0.17	12.51	0.07	11.60	0.05
0851+202	48278.00	13.14	0.11	12.48	0.06	11.59	0.05
0851+202	48324.00	13.32	0.10	12.47	0.05	11.58	0.07
0851+202	48325.00	13.41	0.08	12.48	0.02	11.65	0.02
0851+202	48326.00	13.40	0.10	12.56	0.05	11.63	0.04
0851+202	48329.00	13.21	0.04	12.46	0.05	11.55	0.02

Table 1—Continued

Name	JD 2400000+	J	ΔJ	H	ΔH	K	ΔK
0851+202	48330.00	13.13	0.04	12.40	0.04	11.50	0.04
0851+202	48331.00	13.15	0.10	12.35	0.04	11.45	0.06
0851+202	48332.00	13.16	0.03	12.37	0.05	11.43	0.03
0851+202	48333.00	13.21	0.08	12.44	0.08	11.53	0.07
0851+202	48334.00	13.19	0.06	12.46	0.04	11.50	0.02
0851+202	48355.00	13.68	0.25	12.91	0.03	11.84	0.05
0851+202	48362.00	13.76	0.10	12.78	0.05	11.88	0.04
0851+202	48373.00	13.40	0.11	12.60	0.08	11.76	0.08
0851+202	48374.00	14.01	0.24	12.80	0.09	11.84	0.07
0851+202	48383.50	13.33	0.01	12.49	0.01	11.62	0.01
0851+202	48390.50	13.25	0.03	12.44	0.03	11.56	0.03
0851+202	48639.50	13.47	0.01	12.63	0.01	11.79	0.01
0851+202	49029.50	14.13	0.03	13.35	0.02	12.50	0.04
0851+202	49133.50	13.69	0.04	12.91	0.03	12.05	0.03
0851+202	49134.50	13.66	0.04	12.87	0.03	11.97	0.03
0851+202	49314.50	13.05	0.04	12.22	0.03	11.32	0.03
0851+202	50038.50	10.19	0.16	10.45	0.17	9.40	0.14
0851+202	50039.50	9.91	0.26	9.78	0.38	9.13	0.13
0851+202	50040.50	11.13	0.31	10.83	0.40	9.67	0.38
1101+384	42098.50					9.97	0.27
1101+384	42447.50	10.90	0.08	10.28	0.07	9.75	0.08
1101+384	42517.50			10.61	0.04	10.18	0.05
1101+384	42869.50	11.33	0.09			10.33	0.06
1101+384	42900.50	11.18	0.15			10.30	0.06
1101+384	43159.50	11.31	0.07	10.70	0.06	10.19	0.05
1101+384	43225.50	11.38	0.07	10.73	0.06	10.25	0.04
1101+384	43236.50					11.69	0.05

Table 1—Continued

Name	JD 2400000+	J	ΔJ	H	ΔH	K	ΔK
1101+384	43240.50					11.78	0.05
1101+384	43286.50	11.38	0.06	10.83	0.06	10.27	0.04
1101+384	43665.50					10.33	0.05
1101+384	44590.50	11.15	0.06	10.54	0.01	10.13	0.02
1101+384	44735.50	11.37	0.03	10.54	0.02	10.06	0.02
1101+384	45730.50	11.93		11.24		10.65	
1101+384	45768.50	11.88		11.22		10.60	
1101+384	45769.50	11.90		11.24		10.63	
1101+384	45770.50	11.91		11.26		10.68	
1101+384	45771.50	11.91		11.23		10.64	
1101+384	45772.50	11.90		11.22		10.63	
1101+384	46037.50	11.48	0.01	10.76	0.01	10.29	0.01
1101+384	46111.50	11.82	0.01	11.14	0.02	10.65	0.02
1101+384	47207.50	11.54	0.02	10.81	0.03	10.23	0.02
1101+384	48272.50	11.52	0.02	11.00	0.01	10.35	0.02
1101+384	48274.50	11.41	0.01	10.81	0.01	10.29	0.02
1101+384	48276.50	11.37	0.02	10.87	0.03	10.35	0.02
1101+384	48277.50	11.67	0.02	11.10	0.03	10.44	0.03
1101+384	48280.50	11.61	0.03	10.98	0.02	10.37	0.02
1101+384	48324.50	11.63	0.05	10.91	0.03	10.43	0.02
1101+384	48326.50	11.48	0.01	10.90	0.01	10.38	0.01
1101+384	48329.50	11.35	0.02	10.72	0.01	10.21	0.02
1101+384	48330.50	11.35	0.03	10.69	0.01	10.19	0.02
1101+384	48331.50	11.37	0.01	10.73	0.01	10.22	0.01
1101+384	48333.50	11.41	0.03	10.77	0.02	10.27	0.01
1101+384	48335.50	11.54	0.02	10.92	0.01	10.44	0.02
1144-379	43883.00	13.52	0.08	12.71	0.04	11.66	0.04

Table 1—Continued

Name	JD 2400000+	J	ΔJ	H	ΔH	K	ΔK
1144-379	43888.00	13.58	0.06	12.70	0.06	11.71	0.05
1144-379	43999.00	13.87	0.05	12.88	0.03	11.76	0.03
1144-379	44018.00	13.00	0.08	12.18	0.04	11.24	0.03
1144-379	44019.00	12.98	0.05	12.07	0.04	11.16	0.04
1144-379	44020.00	13.34	0.06	12.38	0.02	11.37	0.01
1144-379	44318.00	13.39	0.04	12.52	0.03	11.59	0.02
1144-379	47172.40	14.87	0.06	13.97	0.02	13.04	0.04
1144-379	47570.40	16.15	0.14	15.50	0.21	14.62	0.22
1147+245	44348.50					12.22	0.01
1147+245	44350.50			13.01	0.02	12.12	0.02
1147+245	44351.50			13.09	0.04	12.08	0.02
1147+245	46469.50	13.78	0.09	12.96	0.05	12.27	0.09
1147+245	46471.50	14.03	0.08	13.55	0.08	12.65	0.09
1147+245	46474.50	13.55	0.08	12.87	0.07	12.15	0.06
1147+245	46474.50	13.63	0.06	12.91	0.06	12.12	0.05
1147+245	46777.50	13.98	0.10	13.27	0.11	12.35	0.11
1147+245	46778.50	13.91	0.13	13.09	0.06	12.37	0.06
1147+245	46778.50	13.92	0.10	13.03	0.06	12.38	0.06
1147+245	46862.50	13.94	0.06	13.00	0.03	12.18	0.04
1147+245	46863.50	14.01	0.22	13.03	0.03	12.17	0.04
1147+245	46924.50	14.03	0.12	13.54	0.07	12.82	0.04
1147+245	47150.50	13.82	0.10	12.81	0.08	12.08	0.08
1147+245	47152.50	13.49	0.10	12.69	0.04	11.84	0.04
1147+245	47153.50	13.59	0.11	12.78	0.08	11.82	0.05
1147+245	47153.50	13.74	0.16	12.76	0.06	11.87	0.08
1147+245	47210.50	13.50	0.02	12.64	0.02		
1147+245	47304.50	13.93	0.17	12.89	0.07	12.08	0.07

Table 1—Continued

Name	JD 2400000+	J	ΔJ	H	ΔH	K	ΔK
1147+245	47609.50	14.41	0.19	13.52	0.06	12.54	0.03
1147+245	47612.50	14.53	0.16	13.76	0.06	12.78	0.08
1147+245	47651.50	14.65	0.17	13.98	0.10	12.94	0.08
1147+245	48383.50	14.05	0.05	13.29	0.05	12.28	0.02
1147+245	48639.50	14.33	0.01	13.37	0.02	12.51	0.01
1215+303	42930.50			12.70	0.15	12.06	0.14
1215+303	44719.50	13.27		12.61		11.88	
1215+303	46112.50	12.53	0.04	11.99	0.05	11.29	0.03
1215+303	46469.50	13.58	0.10	12.54	0.04	11.95	0.07
1215+303	46471.50	13.04	0.03	12.36	0.02	11.67	0.03
1215+303	46474.50	12.92	0.03	12.24	0.03	11.60	0.04
1215+303	46474.50	12.97	0.02	12.28	0.05	11.59	0.03
1215+303	46526.50	12.93	0.03	12.32	0.06	11.74	0.05
1215+303	46768.50	13.41	0.07	12.68	0.03	11.99	0.06
1215+303	46769.50	13.44	0.12	12.77	0.08	12.04	0.06
1215+303	46773.50	13.38	0.12	12.54	0.08	11.83	0.06
1215+303	46778.50	13.09	0.10	12.46	0.04	11.97	0.06
1215+303	46778.50	13.17	0.07	12.43	0.06	12.02	0.06
1215+303	46863.50	13.27	0.05	12.62	0.04	11.96	0.03
1215+303	46924.50	13.56	0.05	12.73	0.02	12.16	0.06
1215+303	46925.50	13.40	0.06	12.69	0.03	12.02	0.05
1215+303	47150.50	13.27	0.09	12.54	0.04	11.95	0.07
1215+303	47152.50	13.20	0.08	12.53	0.04	12.02	0.05
1215+303	47152.50	13.26	0.08	12.68	0.05	11.95	0.06
1215+303	47304.50	13.51	0.08	12.62	0.05	12.03	0.05
1219+285	45443.50	13.45	0.09	12.66	0.08	11.91	0.07
1219+285	45758.50			14.82	0.02	14.21	0.01

Table 1—Continued

Name	JD 2400000+	J	ΔJ	H	ΔH	K	ΔK
1219+285	46112.50	13.64	0.08	12.88	0.07	11.99	0.08
1219+285	46469.50	14.16	0.10	13.37	0.12	12.47	0.08
1219+285	46471.50	13.46	0.06	12.66	0.04	11.84	0.04
1219+285	46474.50	13.59	0.05	12.83	0.03	12.02	0.04
1219+285	46474.50	13.68	0.06	12.89	0.06	12.10	0.04
1219+285	46768.50	13.70	0.11	12.76	0.03	11.98	0.06
1219+285	46769.50	14.02	0.12	12.89	0.06	12.19	0.07
1219+285	46863.50	13.41	0.06	12.70	0.04	11.94	0.04
1219+285	46864.50	13.53	0.08	12.66	0.04	11.97	0.03
1219+285	46924.50	13.25	0.05	12.53	0.03	11.82	0.05
1219+285	46925.50	13.15	0.06	12.36	0.02	11.75	0.04
1219+285	47150.50	13.68	0.13	12.80	0.05	12.23	0.11
1219+285	47153.50	13.57	0.13	13.15	0.04	12.12	0.08
1219+285	47254.50	13.27	0.05	12.50	0.05	11.75	0.04
1308+326	42900.50					12.39	0.20
1308+326	42914.50			13.00	0.11	12.29	0.11
1308+326	42934.50			13.07	0.20	12.37	0.37
1308+326	42957.50			13.05	0.11	12.19	0.12
1308+326	43159.50	12.19	0.18	11.67	0.08	10.87	0.12
1308+326	43225.50	12.45	0.12	11.57	0.08	10.63	0.05
1308+326	43285.50	13.44	0.24	12.09	0.15	11.11	0.06
1308+326	43316.50	13.29	0.11	12.97	0.14	11.85	0.11
1308+326	43605.50	13.36	0.19			11.66	0.11
1308+326	43617.50			12.45	0.19	11.26	0.11
1308+326	43657.50	13.08		12.40	0.06	11.48	0.19
1308+326	43659.50					11.74	0.09
1308+326	43662.50	13.00	0.19	12.25	0.10	11.43	0.06

Table 1—Continued

Name	JD 2400000+	J	Δ J	H	Δ H	K	Δ K
1308+326	43693.50	13.28	0.17	12.63	0.09	11.26	0.06
1308+326	43957.50	14.68	0.30			13.10	0.14
1308+326	44227.50					11.80	0.03
1308+326	44229.50					12.26	0.01
1308+326	44230.50					12.19	0.01
1308+326	44350.50	14.70	0.11	13.94	0.08		
1308+326	44431.50			13.37	0.10	12.40	0.02
1308+326	44701.50			15.37	0.16	14.38	0.10
1308+326	44703.50					14.48	0.11
1308+326	44728.50	13.64	0.10	12.93	0.12	12.09	0.11
1308+326	44729.50	13.75	0.09	13.09	0.02	12.21	0.03
1308+326	44734.50	14.57	0.30	13.46	0.09	12.42	0.08
1308+326	45347.50	15.17	0.08	14.22	0.05	13.22	0.03
1308+326	45399.50	13.37	0.05	12.54	0.07	11.72	0.08
1308+326	45424.50	13.17	0.05	12.37	0.05	11.47	0.05
1308+326	45443.50	13.01	0.08	12.32	0.08	11.44	0.07
1308+326	45514.50					12.01	0.10
1308+326	45516.50	13.88	0.10	12.92	0.10	11.99	0.10
1308+326	45733.50	14.65	0.05	13.71	0.03	12.85	0.05
1308+326	45811.50	14.55	0.09	13.59	0.06	12.71	0.04
1308+326	46112.50			13.00	0.08	12.08	0.10
1308+326	46119.50	13.58	0.06	12.75	0.06	11.80	0.06
1308+326	46210.50	14.53	0.16	13.37	0.05	12.67	0.06
1308+326	46229.50	14.55	0.05	13.65	0.06	12.67	0.06
1308+326	46484.50	16.21	0.22	15.53	0.18	14.72	0.14
1308+326	47258.50	17.26	0.11	16.32	0.11	16.18	0.10
1308+326	48698.50	16.88	0.05	15.99	0.05	15.02	0.05

Table 1—Continued

Name	JD 2400000+	J	ΔJ	H	ΔH	K	ΔK
1308+326	48750.50	16.34	0.10	15.33	0.10	14.43	0.05
1400+162	42931.00					13.50	
1400+162	42933.50					13.58	0.14
1400+162	42934.00					13.10	
1400+162	42957.50					13.42	0.13
1400+162	43285.50					13.04	0.16
1400+162	44350.50					14.04	0.07
1400+162	44732.50			13.98	0.09	13.09	0.06
1418+546	43957.50	12.70	0.09			10.86	0.06
1418+546	44350.50	13.47	0.05	12.64	0.03	11.86	0.02
1418+546	44351.50			12.46	0.03	11.70	0.02
1418+546	44431.50					12.07	0.02
1418+546	44589.50			12.70	0.09	11.92	0.09
1418+546	44701.50					12.45	0.07
1418+546	44727.50	13.71	0.02	12.72	0.03		
1418+546	44729.50	13.24	0.03	12.40	0.02	11.60	0.07
1418+546	44734.50	13.17	0.13	12.46	0.02	11.59	0.07
1418+546	45311.50					11.53	0.10
1418+546	45339.50					11.37	0.10
1418+546	45346.50	13.28	0.03	12.46	0.02	11.66	0.02
1418+546	45443.50					11.52	0.07
1418+546	45515.50					12.11	0.10
1418+546	45718.50			12.72	0.10	11.65	0.10
1418+546	45861.50			12.27	0.10	11.70	0.10
1418+546	45866.50	13.07	0.10	12.26	0.10	11.50	0.10
1418+546	46112.50	13.11	0.06	12.41	0.05	11.61	0.05
1418+546	46470.00	13.08	0.06	12.37	0.04	11.48	0.03

Table 1—Continued

Name	JD 2400000+	J	ΔJ	H	ΔH	K	ΔK
1418+546	46473.42	13.20	0.04	12.34	0.04	11.49	0.03
1418+546	46647.50			12.54	0.03		
1418+546	46648.50			12.53	0.05		
1418+546	46649.50			12.63	0.05		
1418+546	46867.70	13.15	0.04	12.35	0.02	11.54	0.02
1418+546	46921.50	12.83	0.04	11.97	0.02	11.08	0.02
1418+546	46922.49	12.79	0.05	11.93	0.03	11.05	0.02
1418+546	46923.49	12.90	0.03	11.97	0.04	11.15	0.03
1418+546	46924.48	12.89	0.04	11.91	0.02	11.09	0.02
1418+546	46925.43	12.78	0.05	11.94	0.03	11.13	0.03
1418+546	47007.50			12.65	0.05		
1418+546	47208.50	12.73	0.02	11.91	0.04	11.23	0.06
1418+546	47209.50	13.07	0.02	12.19	0.03	11.38	0.03
1418+546	47210.50			12.08	0.03		
1418+546	47223.59	13.05	0.05	12.27	0.04	11.42	0.03
1418+546	47253.57	13.06	0.07	12.36	0.05	11.66	0.04
1418+546	47303.39	13.14	0.07	12.35	0.03	11.45	0.02
1418+546	47305.47	12.87	0.05	12.09	0.04	11.32	0.03
1418+546	48326.50	13.80	0.10	13.13	0.07	12.43	0.06
1418+546	48329.50	13.61	0.11	13.00	0.06	11.99	0.05
1418+546	48330.50	13.32	0.08	12.54	0.06	11.82	0.05
1418+546	48331.50	13.26	0.09	12.36	0.03	11.57	0.04
1418+546	48333.50	13.53	0.08	12.64	0.05	11.74	0.03
1418+546	48335.50	13.76	0.10	12.92	0.10	12.26	0.09
1418+546	48383.50	13.41	0.02	12.54	0.03	11.71	0.01
1418+546	48640.50	13.81	0.02	12.95	0.03	12.12	0.03
1514-241	41828.00					10.90	0.20

Table 1—Continued

Name	JD 2400000+	J	ΔJ	H	ΔH	K	ΔK
1514-241	41860.00					10.80	0.15
1514-241	41925.00					10.61	0.14
1514-241	42793.00					10.77	0.08
1514-241	42795.00					11.53	0.13
1514-241	42877.00					11.29	0.09
1514-241	42964.00					11.13	0.08
1514-241	43237.00	12.86	0.08	12.08	0.08	11.43	0.05
1514-241	43244.50					12.50	
1514-241	43245.50					13.25	
1514-241	43259.50					13.22	
1514-241	43347.00					11.24	0.10
1514-241	43681.00	12.78	0.07	11.96	0.05	11.23	0.05
1514-241	43716.00	12.51	0.07	11.75	0.05	11.00	0.05
1514-241	43948.00	12.59	0.02	11.89	0.02	11.05	0.02
1514-241	44000.00	12.62	0.03	11.80	0.02	11.17	0.03
1514-241	44317.00	12.20	0.03	11.44	0.02	10.64	0.02
1514-241	44346.00					10.64	0.17
1514-241	44348.50			11.69	0.02	10.92	0.02
1514-241	44713.50	12.48	0.05				
1514-241	44729.50	12.42	0.02	11.62	0.02	10.96	0.02
1514-241	45443.50					11.16	0.08
1514-241	45928.50	13.60	0.10	12.68	0.09		
1514-241	45931.50	13.60	0.10	12.49	0.10		
1514-241	45934.50			12.89	0.10		
1514-241	46644.50			11.97	0.05		
1514-241	47004.50	12.57	0.10	11.78	0.10	11.07	
1514-241	47377.10	12.24	0.04	11.46	0.05	10.88	0.05

Table 1—Continued

Name	JD 2400000+	J	ΔJ	H	ΔH	K	ΔK
1514-241	47570.38	12.32	0.05	11.53	0.04	10.93	0.04
1514-241	47750.06	12.41	0.02	11.63	0.04	11.00	0.05
1514-241	48384.50	12.55	0.02	11.75	0.02	11.21	0.02
1519-273	48384.50	15.68	0.08	15.23	0.19	14.33	0.15
1538+149	44467.50	15.34	0.03	14.50	0.03	13.64	0.03
1538+149	44727.50	15.46	0.11	14.69	0.08	13.90	0.06
1538+149	45443.50					13.67	0.10
1538+149	45934.50			14.22	0.11		
1538+149	46644.50			15.09	0.17		
1538+149	47376.02	14.98	0.06	14.20	0.07	13.25	0.05
1538+149	47377.00	15.26	0.06	14.26	0.08	13.36	0.09
1538+149	47378.50					13.40	
1538+149	47750.02	15.17	0.08	14.39	0.06	13.75	0.10
1538+149	48383.50	15.51	0.05	14.67	0.06	13.78	0.05
1652+398	41980.50					10.23	
1652+398	42517.50			10.72	0.05	10.29	0.03
1652+398	42900.50	11.42	0.20			10.71	0.07
1652+398	42958.50			11.10	0.07	10.56	0.06
1652+398	43286.50	11.28	0.08	10.61	0.06	10.22	0.04
1652+398	43316.50	11.45	0.06	10.74	0.06	10.28	0.05
1652+398	43662.50	11.43	0.07	10.69	0.07	10.32	0.05
1652+398	43694.50	11.54	0.07	10.84	0.07	10.30	0.04
1652+398	43752.50					10.62	0.10
1652+398	44348.50	11.99	0.05	11.29	0.02	10.69	0.02
1652+398	44350.50	11.52	0.05	10.83	0.03	10.42	0.02
1652+398	44734.50	11.54	0.03	10.80	0.01	10.38	0.01
1652+398	47297.50	11.51		10.82		10.44	

Table 1—Continued

Name	JD 2400000+	J	ΔJ	H	ΔH	K	ΔK
1652+398	48104.50	12.55	0.06			11.35	0.04
1652+398	48105.50	12.27	0.03	11.47	0.01	11.40	0.05
1652+398	48106.50					11.38	0.04
1652+398	48107.50	13.38	0.16	12.20	0.05	11.62	0.06
1652+398	48110.50	12.70	0.08	11.64	0.05	11.48	0.08
1652+398	48326.50	11.46	0.02	10.81	0.01	10.36	0.01
1652+398	48329.50	11.01	0.01	10.53	0.02	10.40	0.02
1652+398	48331.50	11.47	0.01	10.75	0.01	10.35	0.01
1652+398	48333.50	11.48	0.02	10.82	0.02	10.39	0.02
1652+398	48335.50	11.49	0.02	10.82	0.03	10.37	0.02
1652+398	48382.50	11.82	0.02	11.04	0.01	10.62	0.01
1652+398	48383.50	11.42	0.02	10.62	0.02	10.25	0.01
1652+398	48477.50	11.51	0.04	10.76	0.03	10.37	0.05
1652+398	48478.50	11.46	0.05	10.74	0.04	10.38	0.03
1652+398	48479.50	11.50	0.03	10.78	0.02	10.37	0.02
1652+398	48480.50	11.47	0.04	10.74	0.02	10.36	0.02
1652+398	48482.50	11.47	0.08	10.81	0.08	10.48	0.10
1652+398	48483.50	11.53	0.08	10.76	0.03	10.41	0.06
1727+502	44165.50	13.99	0.07	13.21	0.10	12.72	0.10
1727+502	44350.50			13.34	0.10	12.82	0.07
1727+502	44351.50					13.06	0.12
1727+502	44406.50	14.54	0.05	13.91	0.02	13.47	0.02
1727+502	44430.50					12.92	0.10
1727+502	44431.50					13.15	0.06
1727+502	44461.50			13.53	0.06	13.18	0.07
1727+502	44462.50			13.59	0.06	13.18	0.07
1727+502	44462.50	14.24	0.05	13.53	0.05	13.03	0.05

Table 1—Continued

Name	JD 2400000+	J	ΔJ	H	ΔH	K	ΔK
1727+502	44464.50	14.11	0.05	13.32	0.05	12.86	0.05
1727+502	44471.50					12.86	0.05
1727+502	44703.50			13.68	0.07	12.82	0.05
1727+502	45443.50					12.65	0.08
1727+502	46649.50			13.43	0.05		
1727+502	46650.50			13.42	0.05		
1749+096	44467.50	14.73	0.02	13.81	0.02	12.89	0.02
1749+096	44725.50	15.09	0.08	13.82	0.04	12.89	0.03
1749+096	45336.50	15.91	0.08	15.06	0.06	14.02	0.04
1749+096	45424.50	14.82	0.06	13.86	0.19	13.06	0.18
1749+096	45443.50	14.65		13.82		13.04	
1749+096	45515.50	14.81	0.10	13.96	0.10	13.14	0.10
1749+096	45931.50			13.15	0.10		
1749+096	45932.50	13.80	0.09	12.85	0.11		
1749+096	45934.50	13.75	0.09	12.85	0.09		
1749+096	46643.50			13.38	0.10		
1749+096	46648.50			13.31	0.05		
1749+096	46649.50			13.23	0.05		
1749+096	46650.50			13.43	0.05		
1749+096	47004.50	15.14	0.07				
1749+096	47748.01	13.86	0.05	12.88	0.05	12.06	0.03
1749+096	47750.07	14.07	0.05	13.09	0.03	12.22	0.04
1749+096	47751.08	14.24	0.04	13.27	0.03	12.42	0.04
1749+096	47753.11	14.12	0.03	13.21	0.03	12.35	0.08
1749+096	48382.50	15.20	0.02	14.18	0.03	13.18	0.02
1749+096	48384.50	14.73	0.04	13.69	0.04	12.76	0.04
1803+78		13.68	0.05	13.13	0.05	12.42	0.05

Table 1—Continued

Name	JD 2400000+	J	ΔJ	H	ΔH	K	ΔK
1807+698	42539.50					11.30	
1807+698	44327.00	12.75		12.32		11.88	
1807+698	44328.00	12.73		12.33		11.88	
1807+698	46148.50	12.27	0.05	11.54	0.03	10.86	0.04
1807+698	46210.50	12.53	0.06	11.76	0.05	11.17	0.05
1807+698	46917.50	12.32	0.03	11.60	0.01	10.97	0.02
1823+568	48383.50	14.92	0.04	13.92	0.04	13.02	0.02
1823+568	48384.50	14.87	0.04	13.92	0.04	13.08	0.04
2005-498	47376.2	11.93	0.03	11.25	0.03	10.68	0.05
2005-498	47377.0	11.94	0.04	11.26	0.04	10.69	0.05
2005-498	47378.1	11.96	0.03	11.28	0.05	10.71	0.04
2005-498	47748.1	12.20	0.05	11.52	0.07	10.91	0.05
2005-498	47749.1	12.24	0.02	11.51	0.03	10.94	0.03
2005-498	47750.1	12.17	0.03	11.47	0.03	10.88	0.04
2005-498	47751.1	12.20	0.02	11.54	0.05	10.94	0.04
2005-498	47753.2	12.20	0.03	11.48	0.03	10.87	0.03
2131-021	44467.00	16.06	0.02	15.05	0.02	14.23	0.02
2131-021	48384.50	16.88	0.11	15.97	0.13	14.88	0.08
2200+420	41640.50					9.50	0.06
2200+420	41641.50					9.56	0.06
2200+420	41644.50					9.58	0.06
2200+420	42692.50			10.80	0.10	10.04	0.07
2200+420	42714.50			10.45	0.09	9.59	0.05
2200+420	42756.50			10.36	0.08	9.65	0.07
2200+420	42756.50			10.40	0.07	9.61	0.06
2200+420	42759.50			10.53	0.06	9.82	0.06
2200+420	42933.50			10.28	0.07	9.45	0.05

Table 1—Continued

Name	JD 2400000+	J	ΔJ	H	ΔH	K	ΔK
2200+420	42938.50					11.40	0.19
2200+420	42941.50					11.23	0.16
2200+420	42958.50			10.49	0.06	9.56	0.05
2200+420	43082.50			10.69	0.06	9.71	0.04
2200+420	43492.50	11.57	0.08	10.74	0.06	9.91	0.09
2200+420	43662.50					10.08	0.05
2200+420	43665.50					10.24	0.06
2200+420	43692.50	11.58	0.14	10.87	0.06		
2200+420	43694.50					10.12	0.04
2200+420	43737.50					9.88	
2200+420	43811.50	11.80	0.07	10.99	0.06	10.10	0.04
2200+420	43847.50	11.36	0.07	10.64	0.08	9.60	0.04
2200+420	43848.50					9.85	0.04
2200+420	44136.50					10.16	0.07
2200+420	44137.50	11.92	0.07	10.96	0.07	10.08	0.07
2200+420	44392.50	11.96	0.05	11.00	0.03		
2200+420	44393.50	12.22	0.06	11.25	0.04	10.32	0.02
2200+420	44405.50	12.39	0.02	11.32	0.02	10.41	0.02
2200+420	44500.50					9.99	0.08
2200+420	44517.50	11.46	0.10	10.50	0.04	9.59	0.03
2200+420	44519.50	12.11	0.33	10.92	0.06	9.79	0.02
2200+420	44536.50	11.95	0.18	11.72	0.05	10.26	0.03
2200+420	44590.50	12.60	0.17	11.73	0.06	10.81	0.03
2200+420	44726.50			11.42	0.05	10.21	0.03
2200+420	44727.50	12.06	0.02	11.24	0.06	10.09	0.03
2200+420	44728.50					9.45	0.16
2200+420	44729.50			11.34	0.06	10.51	0.05

Table 1—Continued

Name	JD 2400000+	J	ΔJ	H	ΔH	K	ΔK
2200+420	44749.50	11.71	0.05	10.76	0.05	9.99	0.05
2200+420	45224.50	12.66	0.01	11.80	0.02	11.06	0.01
2200+420	45299.50	11.30	0.02			9.93	0.02
2200+420	45336.50					11.03	0.10
2200+420	45337.50					11.12	0.10
2200+420	45338.50					11.12	0.10
2200+420	45339.50					11.12	0.10
2200+420	45344.50	12.59	0.02	11.65	0.04	11.03	0.01
2200+420	45476.50	12.70	0.09	11.76	0.06	10.97	0.04
2200+420	45515.50	12.55	0.10	11.55	0.10	10.80	0.10
2200+420	45552.50	12.58	0.02	11.55	0.01	10.79	0.01
2200+420	45593.50	12.50	0.10	11.66	0.10	10.92	0.10
2200+420	45595.50	12.54	0.01	11.66	0.06	10.86	0.03
2200+420	45609.50	12.60	0.01	11.59	0.01	10.67	0.01
2200+420	45658.50	12.51	0.08	11.65	0.05	10.78	0.04
2200+420	45671.50	12.46	0.07	11.56	0.05	10.72	0.04
2200+420	45859.50					10.58	0.10
2200+420	45860.50	12.12	0.05	11.28	0.04	10.47	0.03
2200+420	45860.50	12.15	0.10	11.25	0.10	10.41	0.10
2200+420	45862.50	12.21	0.10	11.37	0.10	10.65	0.10
2200+420	45863.50	11.88	0.10	11.07	0.10	10.32	0.10
2200+420	45865.50	11.96	0.10	11.14	0.10	10.30	0.10
2200+420	45915.50	12.54	0.01	11.68	0.04	10.89	0.03
2200+420	46037.50	12.06	0.02	11.11	0.02	10.28	0.02
2200+420	46209.50	12.18	0.04	11.34	0.03	10.50	0.02
2200+420	46210.50	12.21	0.04	11.35	0.03	10.55	0.03
2200+420	46302.50	12.13	0.06	11.29	0.05	10.46	0.05

Table 1—Continued

Name	JD 2400000+	J	Δ J	H	Δ H	K	Δ K
2200+420	46385.50	12.16	0.03	11.34	0.04	10.61	0.01
2200+420	46386.50	12.23	0.02	11.40	0.03	10.63	0.03
2200+420	46439.50	12.43	0.04	11.52	0.01	10.75	0.02
2200+420	46441.50	12.22	0.04	11.37	0.02	10.54	0.01
2200+420	46643.50			11.78	0.10		
2200+420	46644.50			11.67	0.05		
2200+420	46646.50	12.76	0.05	11.75	0.05		
2200+420	46647.50			11.82	0.03		
2200+420	46648.50			11.78	0.05		
2200+420	46649.50			11.97	0.05		
2200+420	46650.50			11.79	0.05		
2200+420	46714.50	12.40		11.56	0.03	10.69	0.03
2200+420	46763.50	12.30	0.04	11.36	0.01	10.50	0.02
2200+420	46766.50	12.37	0.03	11.51	0.02	10.69	0.01
2200+420	46767.50	12.05	0.01	11.18	0.01	10.39	0.01
2200+420	46788.50	12.27	0.03	11.36	0.03	10.62	0.03
2200+420	46920.50	11.79	0.02	10.91	0.01	10.06	0.01
2200+420	46922.50	11.92	0.01	11.05	0.01	10.22	0.01
2200+420	47004.50	12.64	0.05	11.68	0.07	10.84	0.05
2200+420	47005.50	12.52	0.08	11.55	0.05	10.69	0.05
2200+420	47007.50			11.56	0.05		
2200+420	47058.50			12.18	0.10		
2200+420	47113.50	12.74	0.03	11.83	0.02	11.08	0.02
2200+420	47116.50	12.51	0.03	11.53	0.02	10.75	0.02
2200+420	47327.50	12.50				10.90	
2200+420	47328.50	12.58		11.65		10.69	
2200+420	47344.50	12.10		11.25		10.37	

Table 1—Continued

Name	JD 2400000+	J	ΔJ	H	ΔH	K	ΔK
2200+420	47828.50	10.76	0.03	9.85	0.03	8.97	0.03
2200+420	47845.50	10.74	0.03	9.76	0.03	8.94	0.03
2200+420	48167.50	11.77	0.03	10.88	0.03	10.03	0.03
2200+420	48384.50	12.61	0.03	11.67	0.02	10.92	0.02
2200+420	48478.50	12.75	0.11	11.82	0.10	11.02	0.05
2200+420	48479.50	12.84	0.19	12.04	0.21	11.13	0.11
2200+420	48480.50	12.91	0.23	12.01	0.12	11.19	0.10
2200+420	48482.50	13.03	0.16	12.04	0.08	11.16	0.06
2200+420	48511.50	12.44	0.03	11.56	0.03	10.72	0.03
2200+420	48533.50					11.28	0.20
2200+420	48565.50	12.50	0.04	11.64	0.03	10.84	0.03
2200+420	49161.50	12.03	0.03	11.13	0.03	10.23	0.03
2200+420	49211.50	12.57	0.05	11.67	0.06	10.82	0.06
2200+420	49246.50	12.65	0.03	11.80	0.03		
2240-260	44467.50	16.23	0.04	15.20	0.04	14.28	0.04
2240-260	44559.50	15.94	0.04	15.02	0.04	14.06	0.04
2240-260	47377.30	14.95	0.05	14.19	0.08	13.16	0.05
2240-260	47759.10	15.70	0.11	14.89	0.08	14.06	0.07
2240-260	48385.50					14.82	0.10
2254+074	44467.50	13.90	0.02	12.99	0.02	12.16	0.02
2254+074	44553.50					12.35	0.06
2254+074	45931.50	14.76	0.11	13.78	0.11		
2254+074	45934.50			13.86	0.12		
2254+074	46643.50			14.18	0.10		
2254+074	46644.50			14.35	0.07		
2254+074	46646.50	14.85	0.05	13.98	0.05		
2254+074	46647.50	14.87	0.05	14.07	0.03		

Table 1—Continued

Name	JD 2400000+	J	Δ J	H	Δ H	K	Δ K
2254+074	46648.50			14.03	0.05		
2254+074	46649.50			13.99	0.05		
2254+074	46650.50			14.22	0.06		
2254+074	47005.50			14.00	0.05		
2254+074	47007.00			13.88	0.04		
2254+074	47378.31	14.51	0.03	13.86	0.05	13.16	0.05
2254+074	47751.20	14.60	0.06	13.78	0.04	13.06	0.04
2254+074	47752.26	14.72	0.03	13.87	0.02	13.08	0.03
2254+074	47753.27	14.55	0.03	13.73	0.03	12.99	0.02
2254+074	48385.50	14.34	0.10	13.55	0.04	12.83	0.02
2335+031	44467.50	16.68	0.04	15.77	0.04	14.89	0.04